

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code			
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0							
1 Ceres															
I	Prograde rotation								-----				Mor77		
I	Prograde rotation								-----				Han77		
P	270° +36° —P—								-----				Joh+83		
R	Concentric ring region ⁶								-----				Ost87		
S	—S—	332° +70°	—S—	—S—	—S—	—S—	—S—	—S—	-----				Sai+93		
S	298° +78°								186° -58°	-----	1.08	1.06	X ³⁶		
S	————	7° +83°	————	————	————	————	0.378088	1.00	1.08	1.00	1.08	Car+08			
S	————	352° +80°	————	————	————	————	————	————	1.00	1.07	1.00	1.07	Dru+08		
Synthesis	————	355° +81°	————	————	————	0.378088	1.08	1.06	1.08	1.06	1.08	Synthesis	Synthesis		
2 Pallas															
EZ	228° +43° —E—								0.325440				Sch+76		
I	Prograde rotation								-----				Mor77		
I	Prograde rotation								-----				Han77		
Z	211° +38° 31° -38°								-----				Bur+83		
AM	44° +4°	148° +55°	224° -4°	328° -55°	-----	-----	-----	-----	-----	1.14	1.0 ¹	1.14	Zap+84		
A	200° +40° 20° -40°								-----				Bin84		
A	220° +15° 40° -15°								-----				Bin84		
A	49° +6°	157° +53°	229° -6°	337° -53°	-----	-----	-----	-----	-----	1.14	1.0 ¹	1.14	Bur+85		
R	Aspect circle ⁷								-----				Ost85		
OEAI	—O—	227° +20°	—E—	—E—	0.325995	1.11	1.03	1.11	1.03	1.11	1.03	1.11	Lam85		
OEA	—O—	54° -6°	-----	0.32555136	1.06	1.05	1.06	1.05	1.06	1.06	1.05	1.06	Mag86		
R	Concentric ring region ⁶								-----				Ost87		
S	100° -22°	295° +16°	—S—	—S—	-----	-----	-----	-----	-----	1.10	1.01	1.10	Dr+89a		
O	70° +15°	250° +15°	70° -15°	250° -15°	-----	-----	-----	-----	-----	1.11	1.30	1.11	Dr+89b		
L	193° +43° 35° -12°								0.3255510	1.1	1.05 ³¹	1.1	Tor+03		
S	————	32° -21°	————	-----	-----	-----	-----	-----	-----	1.08	1.5	1.08	Dru+08		
S	————	34° -27°	————	-----	-----	-----	-----	-----	-----	1.09	1	1.09	Dru+09		
S	————	30° -16°	————	-----	-----	-----	-----	-----	-----	1.07	1.08	1.07	Car+10a		
Synthesis	————	32° -20°	————	0.3255510	1.1	1.1	1.1	1.1	1.1	Synthesis	Synthesis	Synthesis	Synthesis		
3 Juno															
EA	71° +49°								—E—	0.3004950				Cha+62	
AM	101° +29°	321° +57°	141° -57°	281° -29°	-----	-----	-----	-----	-----	1.23	1.0 ¹	1.23	Zap+84		
OEA	110° +40°	—O—	—E—	—E—	0.30040	1.20	1.02	1.20	1.02	1.20	1.02	1.20	Mag86		
E	104° +36°	316° +62°	—E—	—E—	0.3003969	1.20	1.02	1.20	1.02	1.20	1.02	1.20	Bir+89		
EAM	108° +34°	—E—	—E—	—E—	0.3003970	1.18	1.0 ²	1.18	1.0 ²	1.18	1.0 ²	1.18	Eri+93		
EA	108° +38°	————	—E—	—E—	0.3003970	1.20	1.26	1.20	1.26	1.20	1.26	1.20	Dot+95		
L	103° +27°	————	————	————	0.3003971	1.2	1.3 ³¹	1.2	1.3 ³¹	1.2	1.3 ³¹	1.2	Ka+02a		
S	118° +30°	————	————	————	————	1.2	1.07	1.2	1.07	1.2	1.07	1.2	Dru+08		
Synthesis	110° +32°	————	————	————	0.3003970	1.2	1.2	1.2	1.2	1.2	1.2	1.2	Synthesis		

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
4 Vesta													
EA	14°	+80°					—E—		0.2227006			Cai56	
EA	—E—	—E—			—90°		—90°		0.4453666	1.14	1.0 ¹	Hau58	
EA	57°	+74°					—E—		0.2225884			Cha+62	
E	126°	+65°			—E—		—E—		0.22258871			Geh67	
E	139°	+47°	333°	+39°	—E—		—E—		0.4451021	shape ²¹		Tay73	
I	Prograde rotation								-----			Mor77	
I	Prograde rotation								-----			Han77	
E	103°	+43°	301°	+33°	—E—		—E—		0.2225889			Tay+85	
E	120°	+65°	325°	+55°	—E—		—E—		0.22258849	1.01	1.4 ²	Mag86	
AM	85°	+58°	310°	+60°					-----	1.0 ¹	1.27	X ¹⁸	
S E	—S—	336° +55°								1.10	1.14	X ²⁰	
S	—S—	311° +67°								1.07	1.14	Dr+88a	
EA	160°	+52°	340°	+40°	—E—		—E—		0.2225885			Rey+93	
S	————	343° +56°								1.06	1.15	McC+94	
S	—S—	335° +63°								1.03	1.2	Tho+97	
S	—S—	319° +59°								1.03	1.2	Tho+97	
S	————	357° +50°								0.2225887	1.05	1.26	Dru+98
S	————	324° +55°								-----	1.03	1.2	Dru+08
S	————	326° +59°								-----		Li+11	
S	————	326° +58°								-----		Li+11	
Synthesis	————	326° +58°								0.2225886	1.05	1.2	Synthesis
5 Astraea													
E							328°	-9°	0.7005047			Tay78	
AM	131°	+49°	328°	+46°	148°	-46°	310°	-49°	-----	1.29	1.0 ¹	Za+86b	
R	Concentric ring region ⁶								-----			Ost87	
EA	125°	+46°	318°	+44°	—E—		—E—		0.700026	1.27		Eri+93	
EA	114°	+57°			—E—		—E—		0.700026	1.21	1.15	DeA95	
AM			312°	+58°	132°	-58°			-----	1.44	1.30	Bla+00	
L	126°	+40°	310°	+44°	————		————		0.700025	shape ³¹		Dur+09	
Synthesis	125°	+45°	315°	+46°	————		————		0.700025	1.24		Synthesis	
6 Hebe													
A	145°	+15°					—E—		-----			Geh+62	
E			365°	+50°					0.3031020	1.15	1.0 ¹	Geh+77	
AM	130°	+33°	344°	+30°	164°	-30°	310°	-33°	-----	1.24	1.0 ¹	Zap+84	
OEA	—O—		355°	+50°	—E—		—E—		0.3031025	1.14	1.2	Mag86	
R	Concentric ring region ⁶								-----			Ost87	
E			363°	+60°	—E—		—E—		0.3031024			Mic88	
EA			365°	+27°	—E—		—E—		0.3031023	1.13	1.06	DeA95	
EA	—O—		353°	+24°	—E—		—E—		0.3031026	1.14	1.00	Dot+95	
EA			check ⁵									Lag+95	
AM	128°	+30°					308°	-30°	-----	1.32	1.11	Bla+00	
L	————		339°	+45°	————		————		0.3031029	1.1	1.1 ³¹	Tor+03	
Synthesis	—O—		355°	+41°	—E—		—E—		0.3031026	1.17	1.1	Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
7 Iris												
EA			184°	+55°	—E—				0.2967853	shape ⁹		Cai56
AM			193°	+15°	13°	-15°			-----			Geh+62
AM	11°	+41°					191°	-41°	-----	1.31	1.35	Tay77
EA	15°	+25°	195°	+15°	—E—		—E—		0.29745197	1.18	1.40	Mag86
AM	18°	+33°	193°	+16°	13°	-16°	198°	-33°	-----	1.19	1.21	Za+86b
R			Concentric ring region ⁶						-----			Ost87
EA	8°	+35°	187°	+5°	—E—		—E—		0.29745195	1.24	1.36	DeA95
R	15°	+25°							-----			Mit+95
L	20°	+10°	200°	+10°	—	—	—	—	0.2974517	1.2	1.0 ³¹	Ka+02a
R	15°	+25°	—	—	—	—	—	—	0.297450	1.1	1.2	Ost+10
Synthesis	15°	+25°	—	—	—	—	—	—	0.2974519	1.2	1.2	Synthesis
8 Flora												
A	157°	+10°			—E—				-----			Geh+62
A	140°		320°		140°		320°		-----			Zap+83
A	148°	+45°	328°	+45°	148°	-45°	328°	-45°	-----	1.12	1	Hol+87
AM	135°	+43°	327°	+32°	147°	-32°	315°	-43°	-----	1.10	1.28	DiM+89
EA	139°	+14°					319°	-14°	-----	1.05	1.16	DeA95
AM	122°	+37°					302°	-37°	-----	1.097	1.062	Bla+98
L	160°	+16°	—	—	—	—	—	—	0.533292	1.0	1.2 ³¹	Tor+03
Synthesis	140°	+22°	—	—	—	—	—	—	0.533292	1.05	1.2	Synthesis
9 Metis												
AM	156°	+15°					336°	-15°	-----			Geh+62
A			348°	+76°	168°	-76°			-----			Cha+62
AM	191°	+56°					371°	-56°	-----	1.30	1.70	Zap+79
AM	186°	+43°	362°	+26°	182°	-26°	366°	-43°	-----	1.32	1.34	Zap+84
R			Concentric ring region ⁶						-----			Ost87
EAM	183°	+25°	361°	+9°	—E—		—E—		0.2116324	1.27	1.26	Dr+88b
EAM	180°	+30°	360°	+20°	—E—		—E—		0.2116322	1.27	1.26	Mag90a
EAM	181°	+23°	360°	+7°	—E—		—E—		0.2116323	1.27	1.24	Dru+91
EA	185°	+31°			—E—		—E—		0.2116323	1.31	1.22	DeA95
L	181°	+23°	359°	+9°	—	—	—	—	0.2116325	1.2	1.4 ³¹	Tor+03
SL	181°	+23°	—	—	—	—	—	—	0.2116325	1.26	1.26	Ma+06
Synthesis	181°	+23°	—	—	—	—	—	—	0.2116324	1.3	1.3	Synthesis
10 Hygiea												
I			Retrograde rotation				-----					Mor77
EA	—E—	—E—	112°	-41°	299°	-39°	1.152462	1.36	1.04			Mic+91
EA	—E—	—E—	100°	-34°	285°	-34°	1.150969	1.28	0.65			Eri+93
EAM	—E—	—E—	117°	-37°	304°	-35°	1.150977	1.30	1.18			Mic93
AM	118°	+44°			298°	-44°	-----	1.343	1.144			Bla+98
AM	122°	+42°			302°	-42°	-----	1.343	1.144			Bla+98
L	—	—	115°	-30°	300°	-30°	1.150967	1.3	1.1 ³¹			Ka+02a
Synthesis	—E—	—E—	111°	-36°	298°	-37°	1.15097	1.29				Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
11 Parthenope													
AM	64°	+38°	253°	+51°	73°	-51°	244°	-38°	- - - - -	1.225	1.208	Bla+98	
12 Victoria													
A			242°	+17°	62°	-17°			0.36060			Tem+69	
R			Concentric ring region ⁶						- - - - -			Ost87	
EA	9°	+55°	176°	+40°	—E—	—E—	—E—	—E—	0.3608665	1.25	1.00	Dot+95	
L	—	137°	+55°	—	—	—	—	—	0.360829	1.3	1.3 ³¹	Tor+03	
Synthesis	—	150°	+50°	—E—	—E—	—E—	—E—	—E—	0.36085	1.3		Synthesis	
13 Egeria													
AM	103°	+13°			283°	-13°	- - - - -		1.43	1.26		Bla+00	
14 Irene													
AM		270°	+34°	90°	-34°			- - - - -	1.148	1.080		Bla+98	
15 Eunomia													
EA	—E—	—E—			-90°		-90°		0.253448			Gro+54	
EA	—E—	—E—				337°	-82°	0.25344810	1.51	?		Cai56	
EA	—E—	—E—			-90°		-90°	0.253448				HG+58	
EA	—E—	—E—			70°	-74°		0.25344810				Cai60	
EA	—E—	—E—			-90°		-90°	0.25336				Sca+75	
A	164°	+52°	—	—	—	344°	-52°	- - - - -	1.6	1.0 ¹		Pii+85	
A	170°	+57°	—	—	—	350°	-57°	- - - - -	1.6	1.4 ¹		Pii+85	
E	Prograde rotation				—E—	—E—	—E—	0.25336				Lup+85	
EA	—E—	—E—			106°	-73°	351°	-61°	0.25344806	1.50	1.0		Mag86
E	—E—	—E—			131°	-71°	360°	-50°	0.25344810				Mic88
EAM	—E—	—E—			82°	-78°	352°	-61°	0.25344805	1.40	1.06		Dr+88b
EA	—E—	—E—			108°	-74°	350°	-59°	0.25344808	1.44	1.0		Mag90a
EAM	—E—	—E—			106°	-73°	—	—	0.25344806	1.44	1.02		Dru+91
EA	—E—	—E—			96°	-63°			0.25344806	1.47	1.00		DeA92
E	—E—	—E—			Retrograde rotation				- - - - -			Kru+92	
EAM	—E—	—E—			102°	-76°	354°	-57°	0.25344814	1.36	1.20		Mic93
EA	—E—	—E—			106°	-73°			0.25344806	1.47	1.00		DeA95
L	—	—	—	—	—	355°	-65°	0.25344800	1.4	1.2 ³¹		Ka+02a	
Synthesis	—E—	—E—			106°	-74°	353°	-60°	0.25344808	1.42	1.1		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
16 Psyche												
EZ	—	—	225°	+5°	—E—	—E—	—E—	—	0.17483120			Zho+82
Z			222°	+4°	42°	-4°			0.174831	1.3	1.3	Lup+83
AM	40°	+23°	217°	+31°	37°	-31°	220°	-23°	---	1.32	1.26	Zap+84
E	41°	+33°	223°	+37°					0.1748143			Ted+85
AM	39°	+35°	220°	+40°	40°	-40°	219°	-35°	---	1.33	1.33	Ted+85
EA	—E—	—E—	36°	-21°	217°	-14°	0.17483113		1.19	1.16		Mag86
R	Concentric ring region ⁶								---			Ost87
EAM	—E—	—E—			215°	-17°	0.17483117		1.27	1.35		Dr+88b
EAM	—E—	—E—	35°	-19°	216°	-12°	0.17483106		1.16	1.34		Mag90a
AMF	37°	+0°	217°	+8°	37°	-8°	217°	-0°	---			Lum+90
AM	33°	+25°	211°	+29°	31°	-29°	213°	-25°	---	1.39	1.38	Dot+92
EA	—E—	—E—	35°	-27°	215°	-22°	0.17483104		1.35 ²	1.36		DeA93
L	—	—	35°	-9°	216°	-2°	0.17483113		1.2	1.2 ³¹		Ka+02a
S	—	—	36°	-3°	—	—	---		1.00	1.54		Dru+08
Synthesis	—E—	—E—	35°	-10°	216°	-10°	0.1748311		1.2	1.3		Synthesis
17 Thetis												
AM	69°	+43°	268°	+55°	88°	-55°	249°	-43°	---	1.25	1.35 ¹	Za+86b
EA	Prograde rotation				—E—	—E—	—	—	---			Lag+95
EAM	—E—	—E—			253°	-33°	0.5112699		1.40	1.40		Mic+95
L	58°	+12°	240°	+25°	—	—	0.5110845		1.3	1.0 ³¹		Tor+03
L	55°	+10°	236°	+20°	—	—	0.511085		shape ³¹			Dur+09
Synthesis	57°	+11°	238°	+23°	—	—	0.5110845		1.3	1.0		Synthesis
18 Melpomene												
EA	—E—	—E—	0°	-0°	341°	-36°	0.482218					Hof+90
L	—	—	199°	-24°	8°	-37°	0.482142		1.2	1.2 ³¹		Tor+03
Synthesis	—	—	190°	-20°	355°	-37°	0.482142		1.2	1.2		Synthesis
19 Fortuna												
I	Prograde rotation								---			Mor77
I	Prograde rotation								---			Han77
E	Prograde rotation				—E—	—E—	0.310125					Lup+85
R	Concentric ring region ⁶								---			Ost87
EAM	65°	+48°	—	—E—	—E—	—E—	0.3101343		1.24	0.94		Dr+88b
E	70°	+50°	250°	+50°	—E—	—E—	0.3101342		1.21	1.1		Mag90a
EAM	68°	+52°	—	—E—	—E—	—E—	0.3101343		1.23	0.93		Dru+91
EA	98°	+51°	266°	+48°	—E—	—E—	0.3101340		1.27	1.00		DeA95
AM	65°	+49°	244°	+48°	64°	-48°	245°	-49°	---	1.445	1.096	Bla+98
L	98°	+58°	277°	+60°	—	—	0.3101342		1.2	1.05 ³¹		Tor+03
Synthesis	80°	+52°	260°	+52°	—E—	—E—	0.3101342		1.2	1.0		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
20 Massalia													
A	10°	+78°					190°	-78°	- - - - -			Cha+62	
AM	30°	+49°	207°	+51°	27°	-51°	210°	-49°	- - - - -	1.27	1.0 ¹	Bar+85	
A	30°	+54°	205°	+79°	25°	-79°	210°	-54°	- - - - -	1.25	2.4 ²	McC+85	
E	—E—	—E—							0.337419			Lup+85	
EA	20°	+80°	200°	+80°	—E—	—E—	—E—	—E—	0.3373993	1.16		Mag86	
E	Prograde rotation				—E—	—E—	—E—	—E—	- - - - -			Kru+92	
EA	31°	+69°	208°	+69°	—E—	—E—	—E—	—E—	0.3373994	1.27	1.00	Dot+95	
E	27°	+38°	207°	+38°	—E—	—E—	—E—	—E—	0.3373987			Sza+99	
L	10°	+45°	189°	+45°	—E—	—E—	—E—	—E—	0.33740475	1.1	1.1 ³¹	Ka+02a	
Synthesis	23°	+59°	203°	+60°	—E—	—E—	—E—	—E—	0.337399	1.15	1.1	Synthesis	
21 Lutetia													
E	Prograde rotation				—E—	—E—	—E—	—E—	0.340277			Lu+87a	
AM	42°	+40°	223°	+48°	43°	-48°	222°	-40°	- - - - -	1.25	1.09	Lu+87c	
EAM	55°	+44°	241°	+40°	—E—	—E—	—E—	—E—	0.3400260	1.30	1.7 ²	Mic92	
A	48°	+31°	233°	+38°	53°	-38°	228°	-31°	- - - - -	1.29	1.25	Dot+92	
EAM	33°	+9°	214°	+15°	—E—	—E—	—E—	—E—	0.340244	1.25	2.7	Mic93	
EA	41°	+42°			—E—	—E—	—E—	—E—	0.3400252	1.41	1.08	DeA95	
EA	50°	+10°	230°	+10°	—E—	—E—	—E—	—E—	0.340151	1.22	1.4	Lag+95	
EAM	—	—	240°	+37°	—E—	—E—	—E—	—E—	0.3404874	1.26	1.15	Mic96a	
E	41°	+51°	221°	+51°	—E—	—E—	—E—	—E—	0.3402446			Sza+99	
R	48°	+5°	228°	+13°	—E—	—E—	—E—	—E—	- - - - -	1.25	1.41	Mag+99	
L	39°	+3°	220°	+3°	—E—	—E—	—E—	—E—	0.3402272	1.2	1.2 ³¹	Tor+03	
SLO	—	—	—	—	52°	-6°	—E—	—E—	0.3403445	shape ³¹		Car+10b	
S	—	—	—	—	45°	-7°	—E—	—E—	- - - - -	1.32	1.09	Dru+10	
SLO	—	—	—	—	52°	-6°	—E—	—E—	-	1.23	1.09	Dru+10	
Synthesis	—	—	—	—	52°	-6°	—E—	—E—	0.3403445	1.25	1.1	Synthesis	
22 Kalliope													
AM		215°	+45°	35°	-45°				- - - - -	1.34	1.23	Sca+78	
AM	13°	+17°	214°	+42°	34°	-42°	193°	-17°	- - - - -	1.34	1.18	Zap+84	
EAM		199°	+14°	19°	-11°				0.1728092	1.4	1.18	Mag86	
A		203°	+29°	23°	-29°				- - - - -	1.33	1.24	Sur+86	
M		201°	+22°	21°	-22°				- - - - -	1.32	1.13	Sur+86	
EAM	—E—	—E—	—E—	—E—	—E—	—E—	—E—	—E—	194°	-8°	0.17284164	1.32	1.27
EAM					20°	-23°	195°	+2°	0.1728416	1.6	1.2	Mag90a	
EA	—E—	—E—	—E—	—E—	18°	-23°	—E—	—E—	—E—	0.17284168	1.32	1.18	Mi+90a
AMF	18°	+0°	204°	+23°	24°	-23°	198°	-0°	- - - - -			Lum+90	
EAM	—E—	—E—	—E—	—E—	—E—	—E—	—E—	—E—	193°	-7°	0.17284164	1.31	1.27
EA	—E—	—E—	—E—	—E—	—E—	—E—	—E—	—E—	190°	-1°	0.1728415	1.33	1.27
A	10°	+12°	203°	+45°	23°	-45°	190°	-12°	- - - - -	1.32	1.18	Dot+92	
EA	—E—	—E—	—E—	—E—	—E—	—E—	—E—	—E—	190°	-1°	0.17284154	1.33	1.27
L	—	—	—	—	20°	-21°	197°	+6°	0.17284167	1.2	1.2 ³¹	Ka+02a	
Synthesis	—E—	—E—	—E—	—E—	21°	-22°	193°	0°	0.1728416	1.3	1.2	Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
23 Thalia												
A D					Solution curve				- - - - -	1.15 ²		Tan+91
EAM	198°	+72°	354°	+47°	—E—	—E—	0.5133960	1.18	1.45			Mic93
EA	—E—	—E—	15°	-55°	180°	-35°	0.513202	1.28				Lag+95
L	—	—	359°	-55°	—	—	0.5130	1.1	1.3 ³¹			Tor+03
Synthesis	—E—	—E—	7°	-55°	—	—	0.5131	1.2	1.3			Synthesis
24 Themis												
AM			274°	+52°	94°	-52°		- - - - -	1.191	1.148		Bla+98
26 Proserpina												
AM			227°	-4°	47°	-4°		- - - - -	1.16	1.40		Bla+00
AM			227°	0°	47°	0°		- - - - -	1.16	1.40		Bla+00
28 Bellona												
AM	93°	+18°	285°	+37°	105°	-37°	273°	-18°	- - - - -	1.31	1.18	Zap+84
EAM	73°	+17°	265°	+43°	—E—	—E—	—	—	- - - - -	1.24	1.20	Mic93
L	—	—	—	—	—6°	—6°	0.654494					Dur+09
29 Amphitrite												
A	165°	+45°	345°	+45°	165°	-45°	345°	-45°	- - - - -	1.14	1.0 ¹	Ted+81
A	160°	+53°	320°	+45°	140°	-45°	340°	-53°	- - - - -	1.13	1.00	McC+84
AM	142°	+50°	308°	+40°	128°	-40°	322°	-50°	- - - - -	1.13	1.0 ¹	Zap+84
EAM	—E—	—E—	—	—	135°	-15°	320°	-25°	0.22458835	1.06	1.06	Mag86
EAM	—E—	—E—	—	—	136°	-33°	—	—	0.2245882	1.13	1.14	Dr+88b
S	—S—	—S—	—	—	134°	-36°	—S—	—	- - - - -	1.22	1.06	Dr+89a
EAM	—E—	—E—	—	—	133°	-17°	318°	-25°	0.22458829	1.05	1.16	Mag90a
EA	—E—	—E—	—	—	145°	-43°	—	—	0.22458832	1.18	1.00	DeA95
L	—	—	—	—	138°	-21°	—	—	0.22458829	1.1	1.1 ³¹	Ka+02a
Synthesis	—	—	—	—	136°	-28°	—	—	0.2245883	1.1	1.1	Synthesis
30 Urania												
EAM	114°	+34°	293°	+33°					- - - - -	1.5	1.1	
L	107°	+23°	284°	+20°	—	—	0.570299		shape ³¹			Dur+09
Synthesis L	110°	+25°	288°	+25°	—	—	0.570299		shape ³¹			Synthesis
31 Euphrosyne												
AM	186°	+67°	317°	+4°	137°	-4°	6°	-67°	- - - - -	1.12	1.0 ¹	Bar+85
A	178°	+72°	315°	+5°	135°	-5°	358°	-72°	- - - - -	1.12	1.00	McC+85
EAM	—E—	—E—	—	—	126°	-31°	—	—	0.2316828	1.14	1.59	Mic93
A D	300°	+75°	282°	+30°	102°	-30°	120°	-75°	- - - - -	1.08		Lic+94
EAM	—E—	—E—	—	—	—	—	273°	-60°	0.2304828	1.09	1.60	Kry+96
Synthesis	—E—	—E—	—	—	—	—	273°	-60°	0.2304828	1.09	1.60	Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
32 Pomona													
AM	91°	+34°	263°	+46°	83°	-46°	271°	-34°	-----	1.34	1.0 ¹	Za+86b	
EA	103°	+59°	267°	+70°	—E—	—E—	—E—	—E—	0.393652	1.4		Eri+93	
EA	83°	+33°	253°	+43°	—E—	—E—	—E—	—E—	-----	1.76	1.00	DeA95	
EA	89°	+43°	260°	+57°	—E—	—E—	—E—	—E—	0.393654	1.40	1.00	Dot+95	
L	————	267°	+58°	————	————	————	————	0.39365287	1.3	1.3 ³¹	Ka+02a		
Synthesis	92°	+45°	262°	+58°	————	————	————	————	0.393653	1.3		Synthesis	
34 Circe													
AM	113°	+17°	————	————	293°	-17°	————	————	1.32	1.00		Bla+00	
L	94°	+35°	275°	+51°	————	————	————	————	0.507274	shape ³¹		Dur+09	
Synthesis	95°	+30°	278°	+45°	————	————	————	————	0.507274	shape ³¹		Synthesis	
36 Atalante													
AM	————	299°	+19°	119°	-19°	————	————	————	1.282	1.000		Bla+98	
37 Fides													
EA	100°	+5°	280°	-5°	————	————	————	————	0.305573	1.2		Mag86	
L	————	————	————	————	85°	-26°	264°	-34°	0.3055622	1.1	1.05 ³¹	Tor+03	
Synthesis	————	————	————	————	85°	-26°	264°	-34°	0.3055622	1.1	1.05	Synthesis	
39 Laetitia													
EA	—E—	————	————	————	280°	-66°	0.2144712	shape ⁹				Cai56	
A	114°	+28°	————	————	294°	-28°	————	————	————			HG+58	
EA	—E—	————	————	————	283°	-61°	0.2144712	1.7	3.3			Cai60	
AM	130°	+10°	————	————	310°	-10°	————	————	————			Geh+62	
M	121°	+37°	————	————	301°	-37°	————	————	1.64	1.80		Sat76	
A	128°	+38°	339°	+48°	159°	-48°	308°	-38°	————	1.53	1.31 ²		McC+84
AM	116°	+49°	338°	+57°	158°	-57°	296°	-49°	————	1.58	2.08		Zap+84
A	111°	+56°	365°	+70°	185°	-70°	291°	-56°	————	1.53	3.1 ²		McC+85
E	Prograde rotation			—E—	————	—E—	0.21409	————	————	————	————		Lup+85
EAM	129°	+30°	324°	+35°	—E—	————	—E—	0.21409332	1.49	1.49			Mag86
EAM	————	318°	+26°	—E—	————	—E—	0.21409327	1.45	1.48				Dr+88b
EAM	130°	+29°	325°	+37°	—E—	————	—E—	0.21409333	1.50	1.50			Mag90a
AMF	125°	+19°	317°	+26°	137°	-26°	305°	-19°	————				Lum+90
EAM	————	319°	+28°	—E—	————	—E—	0.21409330	1.49	1.48				Dru+91
AMF	————	327°	+36°	147°	-36°	————	————	————	————	X ¹⁶			Lum+91
EA	————	325°	+23°	—E—	————	—E—	0.21409327	1.42	1.10				DeA95
L	————	323°	+35°	————	————	————	0.21409321	1.4	1.4 ³¹				Ka+02a
Synthesis	————	324°	+31°	————	————	————	0.2140932	1.4					Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
40 Harmonia													
A D					Solution curve				- - - - -	1.31 ²		Tan+91	
EAM	—	—	208°	+21°	—E—	—E—			0.3712522	1.24	2.07	Mic93	
EA	22°	+28°	203°	+38°	—	—			0.3711872	1.31	1	LGR99	
EA	12°	+34°	201°	+41°	—	—			0.3712535	1.31	1	LGR99	
Synthesis	17°	+31°	204°	+33°	—	—			0.37123	1.3		Synthesis	
41 Daphne													
AM	15°	+36°	157°	+28°	195°	-36°	337°	-28°	- - - - -	1.51	1.00	Bar83	
AM	19°	+35°	159°	+32°	199°	-35°	339°	-32°	- - - - -	1.44	1.0 ¹	Bar+85	
EA	—E—	—E—	186°	-40°	335°	-33°	0.2495001	1.30	1.0		Mag86		
AM	18°	+48°	135°	+43°	198°	-48°	315°	-43°	- - - - -	1.31	1.16	Za+86b	
R	Concentric ring region ⁶								- - - - -			Ost87	
EAM	—E—	—E—	—		334°	-32°	0.2494996	1.28	1.23		Dr+88b		
EA	—E—	—E—	197°	-36°	344°	-38°	0.2494994	1.28	1.00		Mag90a		
EAM	—E—	—E—	—		340°	-32°	0.2494993	1.25	1.19		Dru+91		
EA	—E—	—E—	190°	-27°	343°	-31°	0.24949931	1.37	1.00		DeA95		
L	—	—	196°	-31°	—		0.2494993	shape ³¹			Ka+02		
Synthesis	—	—	194°	-31°	342°	-34°	0.2494994	1.3	1.1		Synthesis		
42 Isis													
AM			302°	+36°	122°	-36°			- - - - -	1.419	1.000	Bla+98	
EAM	—E—	—E—	117°	-5°	288°	-16°	0.5665417					Den+98	
L	—	—	120°	-14°	294°	-23°	0.566542	1.1	1.0 ³¹			Tor+03	
Synthesis	—	—	119°	-18°	291°	-20°	0.566542	1.1	1.0			Synthesis	
43 Ariadne													
A	73°	+40°	249°	+43°	69°	-43°	253°	-40°	- - - - -	1.69	1.8 ²	McC+84	
AM	73°	+25°	248°	+20°	68°	-20°	253°	-25°	- - - - -	1.79	1.10	Bar+86	
E	—E—	—E—	55°	-16°	241°	-21°	0.2400784					Mic88	
EAM	78°	+13°	256°	+13°	—E—	—E—	0.2400924	1.40	1.10			Dr+88b	
EA	—E—	—E—	68°	-14°	251°	-16°	0.2400828	1.76	1.01			Mag90a	
EAM	—E—	—E—	—		248°	-10°	0.2400830	1.60	1.24			Dru+91	
EA	—E—	—E—	—		249°	-14°	0.2400817	1.59	1.10			DeA92	
E	—E—	—E—	Retrograde rotation				- - - - -					Kru+92	
AMD	72°	+13°	250°	+8°	70°	-8°	252°	-13°	- - - - -	1.84	1.52	Det+92 ²⁵	
EAMD			250°	+1°	70°	-1°			- - - - -	1.0 ¹	1.0 ¹	X ¹⁵	Det+92 ²⁵
EAMD	73°	+25°	248°	+20°	68°	-20°	253°	-25°	- - - - -			shape ¹⁴	Det+92 ²⁵
EAMD	70°	+5°			250°	-5°	- - - - -					shape ¹⁴	Det+92 ²⁵
E	—E—	—E—	70°	-22°	254°	-24°	0.24008258						Det+92 ²⁵
EAM	—E—	—E—	68°	-22°	253°	-28°	0.2400824	1.64	1.16				Mic93
EA	—E—	—E—	—		249°	-14°	0.2400817	1.59	1.10				DeA95
EA	—E—	—E—	—		251°	-9°	0.2400824	1.68	1.10				Dot+95
E	—E—	—E—	71°	-25°	251°	-25°	0.2400818						Sza+99
L	—	—	—		253°	-15°	0.24008275	1.6	1.2 ³¹				Ka+02a
Synthesis	—	—	—		252°	-16°	0.240082	1.6	1.1				Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
44 Nysa												
EA		—E—		178°	-84°				0.26737846	shape ⁹		Cai56
AM	105°	+30°				285°	-30°		-----			Geh+62
EA		358°	+84°	—E—					0.26730938			Cha+62
AM	100°	+50°				280°	-50°		-----	1.58	1.30	Zap+79
E	100°	+60°	265°	+55°	—E—	—E—			0.26755902			Tay+83
EA	94°	+59°	288°	+63°	—E—	—E—			0.26755895			Mag83
AM	99°	+49°	295°	+54°	115°	-54°	279°	-49°	-----	1.51	1.18	Zap+84
EAM	105°	+57°	300°	+61°	—E—	—E—			0.26755902	1.37	1.4	Mag86
AMF	112°	+46°	304°	+47°	124°	-47°	292°	-46°	-----			Lum+90
EA	92°	+47°	283°	+49°	—E—	—E—			0.26755903	1.44	1.13	DeA93
L	98°	+58°	————	————	————	————	0.26755904	shape ³¹				Ka+02
Synthesis	100°	+53°	296°	+52°	————	————	0.26755903	1.44				Synthesis
45 Eugenia												
E	—E—	—E—	115°	-34°	286°	-26°	0.2374645					Tay+88
EAM	—E—	—E—	127°	-44°	————		0.2374646	1.33	1.65			Dr+88b
EAM	—E—	—E—	125°	-35°	296°	-26°	0.2374646	1.36	1.48			Mag90a
AMF	128°	+16°	313°	+25°	133°	-25°	308°	-16°	-----			Lum+90
A D		Solution curve					-----	1.42 ²				Tan+91
EA	—E—	—E—	109°	-27°			0.2374650	1.33	1.23			DeA95
EA		check ⁵					-----					Lag+95
EA	————	————	106°	-42°	313°	-41°	0.2374644	1.33	1.4			LGR99
L	————	————	124°	-30°	————		0.23746429	1.4	1.5 ³¹			Ka+02a
Synthesis	————	————	119°	-34°	301°	-27°	0.2374647	1.36	1.5			Synthesis
47 Aglaja												
EAM	139°	+33°	313°	+19°	—E—	—E—	0.549549	1.21	1.20			Mic96a
Synthesis	139°	+33°	313°	+19°	—E—	—E—	0.549549	1.21	1.20			Synthesis
48 Doris												
AM	113°	+27°			293°	-27°	-----	1.445	1.000			Bla+98
51 Nemausa												
E F	—E—	—E—	133°	-61°	? ⁴		0.324368					Kri91
E F	—E—	—E—	166°	-62°	? ⁴		-----					Kri92
EA	176°	+62°			356°	-62°	-----	1.15	1.00			DeA95
E F			160°	-68°			0.3242890					Kri97
Synthesis			160°	-64°	365°	-62°	0.3243	1.15	1.0			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code		
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0						
52 Europa														
A	0°	+37°	203°	+38°	23°	-38°	180°	-37°	-----	1.12	1.0 ¹	Bar+86		
EAM	17°	+65°	_____	_____	—E—	—E—	_____	_____	-----	1.11	2.79	Mic93		
EA	—E—	—E—	80°	-55°	250°	-40°	0.2346504	1.21	1.30	Dot+95				
EAM	—E—	—E—	84°	-32°	257°	-18°	0.2347019	1.20	1.17	Mic+95				
EA	63°	+46°	261°	+60°	_____	_____	0.2345855	1.19	2.2	LGR99				
L	_____	_____	79°	-57°	246°	-44°	0.23465042	1.2	1.2 ³¹	Ka+02a				
EAM	71°	+31°	262°	+46°	_____	_____	0.2345813	1.21	1.04	Mic+04				
L	67°	+25°	252°	+38°	_____	_____	0.2345816	1.15	1.3 ³¹	Mic+04				
SL	_____	_____	252°	+38°	_____	_____	0.2345816	1.3		Ma+06				
Synthesis	_____	_____	252°	+38°	_____	_____	0.2345816	1.2	1.2	Synthesis				
54 Alexandra														
A D	Solution curve								-----	1.3 ²		Tan+91		
EA	160°	+45°	290°	+55°	—E—	—E—	0.292766					Bel+93		
L	_____	_____	307°	+20°	_____	_____	0.292610		shape ³¹			Tor+08		
L	_____	_____	122°	-36°	325°	-37°	0.292639		shape ³¹			Tor+08		
55 Pandora														
AM	36°	+32°	226°	+19°	46°	-19°	216°	-32°	-----	1.27	1.10	Za+86b		
EAM	—E—	—E—	_____	_____	202°	-26°	0.2001593	1.76	1.52	Dr+88b				
EAM	32°	+40°	224°	+32°	—E—	—E—	0.2001596	1.34	1.47	Dru+91				
EAM	_____	239°	+28°	—E—	—E—	0.2001595	1.29	1.32	Mic93					
EA	—E—	—E—	50°	-18°	216°	-34°	0.2001603	1.29	1.25	DeA95				
EA	25°	+30°	220°	+30°	—E—	—E—	0.2001686	1.29	1.1	Lag+95				
EAM	28°	+48°	232°	+42°	—E—	—E—	0.2001685	1.32	1.25	Mic96a				
L	_____	225°	+10°	_____	_____	0.2001685	1.2	1.2 ³¹	Tor+03					
Synthesis	30°	+38°	228°	+27°	_____	_____	0.2001685	1.25	1.2	Synthesis				
60 Echo														
EAM	95°	+34°	275°	+42°	—E—	—E—	1.048226	1.50 ²	1.38			Mic93		
Synthesis	95°	+34°	275°	+42°	—E—	—E—	1.048226	1.5	1.4			Synthesis		
63 Ausonia														
AM	130°	310°	130°	310°	-----	-----	2.4	1.0		Zap+83				
AM	127°	+38°	298°	+28°	118°	-28°	307°	-38°	-----	2.25	1.0 ¹	Zap+84		
EAM	—E—	—E—	120°	-30°	305°	-30°	0.3873987	2.06	1.04	Mag86				
E	—E—	—E—			313°	-42°	0.3873992	0.387230				Lu+87a		
EA	—E—	—E—			313°	-42°	0.3873992	2.16	1.04	DeA95				
EAM	—E—	—E—	122°	-26°	310°	-40°	0.3874027	2.08	1.05	Mic96a				
AM		305°	+36°	125°	-36°	-----	2.39	1.00		Bla+00				
L	_____	_____	120°	-15°	304°	-22°	0.3873995	1.9	1.0 ³¹	Tor+03				
Synthesis	—E—	—E—	120°	-27°	308°	-34°	0.3874027	2.1	1.0	Synthesis				
64 Angelina														
EAM	119°	+29°	299°	+27°	—E—	—E—	0.3647784	1.38	1.05			Mic93		
Synthesis	119°	+29°	299°	+27°	—E—	—E—	0.3647784	1.4	1			Synthesis		

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
65 Cybele												
EAM	—E—	—E—	26°	-52°	—	—	0.1661266	1.08	1.74		Dr+88b	
EAM	—E—	—E—	25°	-49°	—	—	0.1683549	1.09	1.69		Dru+91	
EA	—E—	—E—	34°	-23°	—	—	0.1683552	1.05	1.37		DeA95	
Synthesis	—E—	—E—	28°	-41°	—	—	0.1683551	1.07	—		Synthesis	
66 Maja												
AM		345°	+50°	165°	-50°	—	—	—	1.660	1.000		Bla+98
AM	156°	+62°			336°	-62°	—	—	1.66	1.40		Bla+00
69 Hesperia												
E	131°	+42°	315°	+59°	—E—	—E—	0.2358226				Ve+89b	
E			—E—	—E—	—	—	—	—			Kru+92	
EA		243°	+51°	—E—	—E—	0.2356040	1.25	1.45			DeA+95	
AM	64°	+39°	250°	+42°	70°	-42°	244°	-39°	—	1.247	1.250	Bla+98
L	—	—	—	73°	-45°	—	0.2356333	1.1	1.4 ³¹		Tor+03	
71 Niobe												
AM		274°	+14°	94°	-14°	—	—	—	1.202	1.345		Bla+98
73 Klytia												
L	38°	+75°	237°	+73°	—	—	0.3451277	shape ³¹			Mar+08	
Synthesis	38°	+75°	237°	+73°	—	—	0.3451277	shape ³¹			Synthesis	
75 Eurydike												
EAM		253°	+30°				0.2231746	1.19	1.60		Tun+02	
77 Frigga												
AM	57°	+39°			236°	-40°	—	—	1.224	1.010		Bla+98
79 Eurynome												
EA	64°	+45°	226°	+52°	—E—	—E—	0.2490706	1.28	2.0 ²		Mi+90a ²⁴	
EA	62°	+26°	226°	+41°	—E—	—E—	0.2490708	1.24	1.20		DeA93	
EA	56°	+28°	236°	+38°	—E—	—E—	0.2490705	1.25	1.42		DeA+95	
EAM	40°	+35°	214°	+38°	—E—	—E—	0.2490716	1.22	1.22		Mic96a	
E	—E—	—E—	65°	-36°	245°	-36°	0.2490706				Sza+99	
L	64°	+15°	—	—	—	—	0.2491071	shape ³¹			Tor+08	
Synthesis	55°	25°	—	—	—	—	0.2491071	1.2	1.3		Synthesis	
80 Sappho												
R		Concentric ring region ⁶				—	—	—			Ost87	
L	—	—	6°	-16°	194°	-26°	0.584620	shape ³¹			Dur+09	
Synthesis	—	—	6°	-16°	194°	-26°	0.584620	shape ³¹			Synthesis	
82 Alkmene												
L	—	—	164°	-34°	351°	-39°	0.541699	shape ³¹			Dur+09	
Synthesis	—	—	164°	-34°	351°	-39°	0.541699	shape ³¹			Synthesis	
83 Beatrix												
EAM	—E—	—E—	3°	-37°	172°	-31°	0.4213796	1.26	1.16		Kru+94	
EA	—E—	—E—	6°	-46°	173°	-38°	—	1.22	1.10		DeA95	
Synthesis	—E—	—E—	4°	-42°	172°	-34°	0.4213796	1.24	1.1		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
85 Io												
EA	120°	+89°	303°	+82°	123°	-82°	300°	-89°	- - - -	1.18	1.00	Dot+95
EAM ³²	—E—	—E—	—E—	—E—	—E—	—E—	285°	-52°	0.28646325	1.15	1.8	Eri+99
EAM ³²	—E—	—E—	—E—	—E—	108°	-46°	290°	-16°	0.2864629	1.19		Eri+99
L	— — —	— — —	— — —	— — —	105°	-45°	295°	-14°	0.2864629	1.1	1.0 ³¹	Tor+03
Synthesis	— — —	— — —	— — —	— — —	106°	-46°	293°	-15°	0.28646325	1.1	1.0	Synthesis
87 Sylvia												
EAM	89°	+52°	288°	+40°	—E—	—E—	—E—	—E—	0.2159852	1.41	1.17	Dr+88b
EAM	66°	+67°	296°	+59°	—E—	—E—	—E—	—E—	0.2159851	1.44	1.5	Mag90a
EAM	89°	+52°	291°	+42°	—E—	—E—	—E—	—E—	0.2159853	1.43	1.17	Dru+91
EAM	84°	+55°	297°	+50°	—E—	—E—	—E—	—E—	0.2159859	1.37	1.41 ²	Mic93
EA	86°	+45°	— — —	— — —	—E—	—E—	—E—	—E—	0.2159850	1.45	1.05	DeA95
L	71°	+66°	— — —	— — —	— — —	— — —	— — —	— — —	0.2159851	1.4	1.1 ³¹	Ka+02a
SL	71°	+66°	— — —	— — —	— — —	— — —	— — —	— — —	0.2159851	1.6		Ma+06
S	96°	+39°	— — —	— — —	— — —	— — —	— — —	— — —	- - - -	1.33	1.16	Dru+08
Synthesis	84°	+55°	— — —	— — —	— — —	— — —	— — —	— — —	0.2159853	1.40	1.2	Synthesis
88 Thisbe												
AM	32°	+69°	205°	+54°	25°	-54°	212°	-69°	- - - -	1.13	1.0 ¹	Za+86b
EAM	— — —	— — —	129°	+78°	—E—	—E—	—E—	—E—	0.2517222	1.12	1.30	Dr+88b
EA	40°	+70°	200°	+70°	—E—	—E—	—E—	—E—	0.2517223	1.13		Mag90a
EAM	— — —	— — —	110°	+58°	—E—	—E—	—E—	—E—	0.2517222	1.15	1.16	Dru+91
EA	— — —	— — —	243°	+74°	—E—	—E—	—E—	—E—	0.2517224	1.11	1.22	DeA95
L	— — —	— — —	207°	+48°	— — —	— — —	— — —	— — —	0.2517208	1.1	1.2 ³¹	Tor+03
Synthesis	— — —	— — —	190°	+64°	— — —	— — —	— — —	— — —	0.25172	1.1	1.2	Synthesis
93 Minerva												
EA	— — —	— — —	203°	+15°	— — —	— — —	— — —	— — —	0.249087	1.07	1.10	Eri00
EAM	— — —	— — —	189°	+10°	— — —	— — —	— — —	— — —	0.2491288	1.12	1.00	Tun+02
L	— — —	— — —	216°	+21°	— — —	— — —	— — —	— — —	0.249303	shape ³¹		Tor+08
L	— — —	— — —	— — —	— — —	49°	-40°	— — —	— — —	0.249297	shape ³¹		Tor+08
Synthesis	— — —	— — —	203°	+15°	— — —	— — —	— — —	— — —	0.2493	1.10	1.05	Synthesis
94 Aurora												
L	58°	+16°	242°	+4°	— — —	— — —	— — —	— — —	0.3010912	shape ³¹		Mar+11
Synthesis	58°	+16°	242°	+4°	— — —	— — —	— — —	— — —	0.3010912	shape ³¹		Synthesis
97 Klotho												
EAM	— — —	— — —	340°	+8°	— — —	— — —	— — —	— — —	1.4632286	1.33	1.10	Tun+02
105 Artemis												
EAM	— — —	— — —	192°	+68°	— — —	— — —	— — —	— — —	0.7729158	1.09	1.53	Tun+02
107 Camilla												
EAM	71°	+61°	233°	+74°	—E—	—E—	—E—	—E—	0.2018306	1.45	1.72	Dr+88b
EAM	74°	+55°	239°	+76°	—E—	—E—	—E—	—E—	0.2018305	1.46	1.6	Mag90a
EAM	— — —	— — —	229°	+73°	—E—	—E—	—E—	—E—	0.2018305	1.47	1.49	Dru+91
EA	— — —	— — —	230°	+69°	—E—	—E—	—E—	—E—	0.2018307	1.46	1.58	DeA95
L	72°	+51°	— — —	— — —	— — —	— — —	— — —	— — —	0.2018304	1.4	1.2 ³¹	Tor+03
Synthesis	72°	+56°	232°	+74°	— — —	— — —	— — —	— — —	0.2018306	1.46	1.6	Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
108 Hecuba												
AM	79°	+13°					259°	-13°	- - - - -	1.180	1.101	Bla+98
AM	79°	+6°					259°	-6°	- - - - -	1.180	1.101	Bla+98
110 Lydia												
EAM	24°	+75°	210°	+78°					- - - - -	1.17		Mic96a
L	—	—	—	—	149°	-55°	331°	-61°	0.4552416	shape ³¹		Dur+07
Synthesis	—	—	—	—	149°	-55°	331°	-61°	0.4552416	shape ³¹		Synthesis
113 Amalthea												
EAM					70°	-18°			0.4140702	1.45	1.17	Tun+02
115 Thyra												
EA	175°	+60°	330°	+60°	—E—	—E—			0.301565	1.14	1.30	Dot+95
AM	197°	+30°	358°	+35°	17°	-30°	178°	-35°	- - - - -	1.224	1.088	Bla+98
EAM	—	—	—	—			182°	-43°	0.3017940	1.21	1.03	Mic+03
EAM	7°	+34°	—	—	—	—			0.3017257	1.23	1.03	Mic+04
L	23°	+33°	—	—	—	—			0.3016652	1.1	1.1 ³¹	Mic+04
Synthesis	15°	+34°	—	—	—	—			0.30169	1.2	1	Synthesis
119 Althaea												
EAM					21°	-77°			0.4783486	1.29	1.33	Tun+02
L	—	—	—	—	—62°	—62°	—62°	—62°	0.477713			Dur+09
121 Hermione												
EA	163°	+12°	342°	+30°	162°	-30°	343°	-12°	- - - - -	1.10	1.00	DeA95
AM	40°	+32°					220°	-32°	- - - - -	1.294	1.288	Bla+96
AM			240°	+42°	60°	-42°			- - - - -	1.294	1.393	Bla+98
122 Gerda												
AM	26°	+31°					190°	-39°	- - - - -	1.21	0.94	She+09
125 Liberatoria												
EAM	80°	+74°	—	—	—E—	—E—			0.1653422	1.28	2.68	Dr+88b
E		+70°		+70°	—E—	—E—			0.1653425			Mag90a
EAM	—		228°	+71°	—E—	—E—			0.1653420	1.35	1.23	Dru+91
EA	15°	+47°	181°	+53°	—E—	—E—			0.1653418	1.55	1.10	DeA95
L	95°	+68°	280°	+74°	—	—			0.1653416	shape ³¹		Dur+07
Synthesis	95°	+68°	280°	+74°	—	—			0.1653416	shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
129 Antigone													
AM	331°	+30°	133°	+48°	313°	-48°	151°	-30°	-----	1.37	1.0 ¹	Bar+85	
EA	20°	+50°	180°	+72°	—E—	—E—	—E—	—E—	0.2065566	1.27	1.0	Mag86	
EAM	—	—	196°	+64°	—E—	—E—	—E—	—E—	0.2065486	1.27	1.05	Dr+88b	
EA	38°	+27°	202°	+53°	—E—	—E—	—E—	—E—	0.2065485	1.32	1.02	Mag90a	
EAM	—	—	195°	+65°	—E—	—E—	—E—	—E—	0.2065486	1.23	1.07	Dru+91	
AM	42°	+36°	208°	+68°	18°	-68°	222°	-36°	-----	1.45	1.05	Dot+92	
EA	—	—	194°	+72°	—E—	—E—	—E—	—E—	0.2065483	1.32	1.01	DeA95	
L	—	—	207°	+58°	—	—	—	—	0.2065480	1.3	1.0 ³¹	Tor+03	
S	—	—	202°	+52°	—	—	—	—	-----	1.22	1.48	Dru+09	
Synthesis	—	—	204°	+55°	—	—	—	—	0.2065484	1.3	1.1	Synthesis	
130 Elektra													
EAM	—E—	—E—	190°	-81°	—	—	—	—	0.2176951	1.29	1.63	Dr+88b	
EAM	—E—	—E—	180°	-85°	240°	-40°	—	—	0.2176942	1.41	1.2	Mag90a	
EAM	—E—	—E—	344°	-86°	246°	-32°	—	—	0.2176942	1.32	1.06	Mic93	
EA	—E—	—E—	192°	-83°	—	—	—	—	0.2176950	1.55	1.45	DeA95	
L	—	—	64°	-88°	—	—	—	—	0.2176943	shape ³¹	—	Dur+07	
SL	—	—	64°	-88°	—	—	—	—	0.2176943	—	—	Ma+06	
L	—	—	160°	-85°	—	—	—	—	0.2176942	shape ³¹	—	Tor+08	
Synthesis	—	—	100°	-87°	—	—	—	—	0.2176942	1.2	1.1	Synthesis	
132 Aethra													
L	—	—	337°	+70°	—	—	—	—	0.2153448	shape ³¹	—	Dur+09	
Synthesis	—	—	337°	+70°	—	—	—	—	0.2153448	shape ³¹	—	Synthesis	
133 Cyrene													
E	Prograde rotation			—E—	—E—	—	—	—	0.5295	—	—	Har+84	
135 Hertha													
A D	Solution curve								-----	1.23	—	Tan+91	
AM	135°	+46°	310°	+43°	130°	-43°	315°	-46°	-----	1.34	1.22	Dot+92 ²²	
EAM	—E—	—E—	126°	-28°	310°	-31°	0.347818	—	1.36	1.20	—	Mic93	
EA	106°	+2°	—	—	286°	-2°	0.350238	—	1.16	1.14	—	Lag+95	
EAM	118°	+52°	291°	+47°	—	—	—	—	—	1.25	1.24	—	Mic96a
L	96°	+58°	274°	+53°	—	—	0.350025	—	1.1	1.4 ³¹	—	Tor+03	
Synthesis	100°	+52°	292°	+50°	—	—	0.350238	—	1.15	1.2	—	Synthesis	
136 Austria													
L	+63°	+63°	—	—	—	—	—	—	0.479025	—	—	Dur+09	
137 Meliboea													
AM	149°	+8°	—	—	329°	-8°	—	—	—	1.18	1.11	Bla+00	
139 Juewa													
EAM	117°	+50°	—	—	—E—	—E—	—E—	—	—	1.21	1.68	Mic93	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code		
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0						
144 Vibia	R	Concentric ring region ⁶								-----			Ost87	
146 Lucina	L	-----	-----	139°	-14°	305°	-41°	0.773082	shape ³¹			Dur+09		
Synthesis	-----	-----	-----	139°	-14°	305°	-41°	0.773082	shape ³¹			Synthesis		
150 Nuwa	AM	253°	+1°	73°	-1°	-----			1.116	1.043	Bla+96			
AM	257°	+1°	77°	-1°	-----			0.773082	1.097	1.015	Bla+98			
AM	253°	+27°	73°	-27°	-----			0.773082	1.097	1.015	Bla+98			
152 Atala	L	199°	+62°	347°	+47°	-----	-----	0.260197	shape ³¹			Dur+09		
Synthesis	199°	+62°	347°	+47°	-----	-----	0.260197	shape ³¹			Synthesis			
153 Hilda	AM	149°	+29°	329° -32°				-----	1.19	1.32	She+09			
158 Koronis	EAM	-----	-----	19°	-69°	201°	-72°	0.5919043	1.5	1.7	Sli+03			
L	-----	-----	35°	-65°	220°	-68°	0.5919038	1.4	1.5	Sli+03				
Synthesis	-----	-----	27°	-67°	211°	-70°	0.5919042	1.5	1.6	Synthesis				
160 Una	L	-----	-----	125°	-33°	308°	-41°	0.4597157	shape ³¹			Mar+09		
Synthesis	-----	-----	125°	-33°	308°	-41°	0.4597157	shape ³¹			Synthesis			
161 Athor	AM	1°	+48°	209°	+47°	29°	-47°	181°	-48°	-----	1.367	0.850	Bla+98	
165 Loreley	AM	339° +65°				159°	-65°	-----			1.191	1.274	Bla+98	
L	-----	346°	+29°	-----	-----	-----	-----	0.3011112	shape ³¹			Dur+07		
Synthesis	-----	346°	+29°	-----	-----	-----	-----	0.3011112	shape ³¹			Synthesis		
167 Urda	EAM	-----	-----	30°	-73°	220°	-69°	0.5442240	1.3	1.0	Sli+03			
L	-----	-----	40°	-75°	225°	-73°	0.5442238	1.2	1.0	Sli+03				
Synthesis	-----	-----	39°	-74°	225°	-71°	0.5442242	1.3	1.0	Synthesis				
173 Ino	EAM	—E—	—E—	198°	-21°	356°	-47°	-----	1.23	1.69	Mic93			
EA	—E—	—E—	186°	-22°	365°	-21°	-----	1.12	1.06	DeA95				
L	-----	-----	178°	-14°	344°	-30°	0.2548546	1.1	1.1 ³¹	Mic+05				
Synthesis	-----	-----	178°	-14°	344°	-30°	0.2548546	1.1	1.1	Synthesis				
174 Phaedra	L	-----	265°	+5°	-----	-----	0.2395937	shape ³¹			Mar+11			
Synthesis	-----	265°	+5°	-----	-----	0.2395937	shape ³¹			Synthesis				

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
176 Iduna												
AM	85°	+36°					265°	-36°	- - - - -	1.39	1.28	Bla+00
182 Elsa												
L	—	—	—	—	72°	-84°	224°	-82°	3.3403	shape ³¹		Dur+09
184 Dejopeja												
L	18°	+54°	201°	+52°	—	—	—	—	0.2683796	shape ³¹		Mar+07
L	14°	+51°	196°	+50°	—	—	—	—	0.2683799	shape ³¹		Dur+09
Synthesis	16°	+53°	198°	+51°	—	—	—	—	0.2683797	shape ³¹		Synthesis
190 Ismene												
AM	118°	+23°					298°	-30°	- - - - -	1.13	1.21	She+09
192 Nausikaa												
A	130°	+40°					310°	-40°	- - - - -			Sc+76a
EA	—E—	—E—	—	—	—	—	325°	-45°	0.567670	1.35	1.50	Dot+95
L	131°	+36°	—	—	—	—	306°	-7°	0.5676058	1.3	1.1 ³¹	Ka+02a
SL	—	326°	+33°	—	—	—	—	—	0.5675708	1.51		Ma+06
Synthesis	—	326°	+33°	—	—	—	—	—	0.5675708	1.51		Synthesis
196 Philomela												
EAM	78°	+26°	266°	+24°	86°	-24°	258°	-26°	- - - - -	1.58	1.06	Mic92
EAM	—E—	—E—	—	—	99°	-16°	273°	-22°	- - - - -	1.33	1.17	Mic93
A D	102°	+26°	287°	+26°	107°	-26°	282°	-26°	- - - - -	1.50		Lic+94
EA	105°	+20°					285°	-20°	- - - - -	1.40	1.00	DeA95
EAM	—	277°	+20°	—E—	—	—E—	—	—	0.3475556 ²	1.32	1.16	Kry+96
AM		278°	+20°		98°	-20°			- - - - -	1.472	0.914	Bla+98
L	—	—	—	—	111°	-41°	276°	-49°	0.3472011	shape ³¹		Dur+07
Synthesis	—	—	—	—	111°	-41°	276°	-49°	0.3475556	1.3	1.2	Synthesis
201 Penelope												
EAM	78°	-3°	258°	+4°					0.1561283 ²	1.47	1.22	Dr+88b
EAM	—E—	—E—	—	—	80°	-35°	260°	-25°	0.1561443	1.50	1.23	Mag90a
EAM	74°	-2°	—	—					0.1561287	1.53	1.24	Dru+91
EAM			—	—			261°	-34°	0.1561440	1.55	1.34	Dru+91
EAM	—E—	—E—	—	—	85°	-40°	260°	-25°	0.1561439	1.42	1.3	Eri+93
EAM	—E—	—E—	—	—			258°	-22°	0.1561433	1.32	1.06	Mic93
EA	—E—	—E—	—	—	93°	-14°	—	—	0.15614438	1.65	1.20	DeA95
EAM	—E—	—E—	—	—	84°	-39°	260°	-20°	0.1561439	1.49	1.20	Mic96a
EAM			—	—	84°	-32°			0.1561401	1.51	1.24	Tun+02
L	—	—	—	—	84°	-15°	262°	-1°	0.1561439	1.5	1.1 ³¹	Tor+03
Synthesis	—E—	—E—	—	—	85°	-29°	260°	-21°	0.1561439	1.5	1.2	Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
208 Lacrimosa												
EAM	—	—	154°	-62°	342°	-64°	0.5865383	1.5	2.3		Sli+03	
L	—	—	170°	-68°	350°	-71°	0.5865383	1.2	1.2		Sli+03	
Synthesis	—	—	162°	-65°	346°	-68°	0.5865383	1.3			Synthesis	
216 Kleopatra												
EA	71°	+21°	234°	+38°	—E—	—E—	0.2243864				Mag83	
A	67°	+15°	231°	+31°	51°	-31°	247°	-15°	----	2.83	Zap+84	
E	71°	+21°	234°	+38°	—E—	—E—	-----				Kos86	
EA	72°	+20°	235°	+34°	—E—	—E—	0.2243865	2.78	1.5 ²		Mag86	
E			—E—	—E—	0.22438596						Lu+87a	
EAM	69°	+10°	—	—	—E—	—E—	0.2243870	2.54	1.32		Dr+88b	
EAM	71°	+19°	236°	+34°	—E—	—E—	0.2243868	2.71	1.30		Mag90a	
EAM	69°	+10°	—	—	—E—	—E—	0.2243868	2.56	1.33		Dru+91	
AM	78°	+25°	229°	+45°	49°	-45°	258°	-25°	----	2.80	1.36	Dot+92
EA	72°	+8°	—E—	—E—	0.22438654							DeA95
Synthesis	72°	+16°	232°	+37°	—E—	—E—	0.2243867	2.6	1.3		Synthesis	
218 Bianca												
EAM			340°	+60°	—	—	----	1.20	1.33		Kry+96	
L	—	—	305°	+17°	121°	-10°	—	0.394499	shape ³¹		Dur+07	
Synthesis	—	—	305°	+17°	121°	-10°	—	0.394499	shape ³¹		Synthesis	
221 Eos												
AM	72°	+20°			252°	-22°	----	1.18	1.27		She+09	
225 Henrietta												
EAM	—E—	—E—	—	—	241°	-56°	----	1.27	1.89		Mic93	
EAM	135°	+13°			—	—	----	1.23	1.08		Mic+00	
230 Athamantis												
AM	91°	+44°	240°	+51°	60°	-51°	271°	-44°	----	1.318	1.195	Bla+98
L	74°	+27°	238°	+28°	—	—	0.999354	1.1	1.1 ³¹		Tor+03	
Synthesis	83°	+36°	239°	+40°	—	—	0.999354	1.1	1.1		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
236 Honoria									- - - -	1.224	1.142	Bla+96 ³⁴
AM			358°	+66°	178°	-66°			- - - -			
238 Hypatia									- - - -	1.38	1.00	DeA95
EA	139°	+27°	337°	+50°	157°	-50°	319°	-27°	- - - -			
243 Ida												
EA	—E—	—E—	75°	-56°	264°	-64°	0.1930680	1.81	1.18			Bin+93
EAM	—E—	—E—	81°	-55°	263°	-56°	0.1930680	1.81	1.25	X		Bin+93
AMF			67°	-47°	247°	-47°	- - - -	1.88	1.04	X		Bin+93
EAM	—E—	—E—	71°	-52°	252°	-54°	0.1930680	1.78	1.10	X		Bin+93
EAM	—E—	—E—	83°	-62°	266°	-64°	0.1930680	1.86	1.31			Bin+93 ²⁷
AM			81°	-52°	264°	-54°	- - - -	2.04	1.15			Bin+93
C	—C—	—C—	—C—		262°	-68°	- - - -					Da+94b
C	—C—	—C—	—C—		262°	-67°	0.1930680					Da+96
L	—	—	85°	-47°	262°	-55°	0.19306825		shape ³¹			Ka+01
Synthesis	—C—	—C—	—C—		262°	-68°	0.1930680	1.8	1.2			Synthesis
250 Bettina												
EAM	—E—	—E—	104°	-16°	—	—	0.2106225	1.32	1.38			Dru+91
AM	96°	+46°	283°	+21°	103°	-21°	276°	-46°	- - - -	1.51	1.01	Dot+92 ²²
EAM	—E—	—E—	85°	-9°	260°	-35°	0.2106218	1.33	1.66			Mic92
EAM	—E—	—E—	99°	-16°	272°	-48°	0.2106014	1.33	1.3			Eri+93
EAM	—E—	—E—	102°	-30°	272°	-55°	0.2106224	1.36	1.34			Mic93
EA	—E—	—E—			272°	-32°	0.2106016	1.45	1.05			DeA95
EA	—E—	—E—	106°	-11°			0.2106219	1.45	1.05			DeA95
EA			check ⁵				- - - -					Lag+95
AM		275°	+1°	95°	-1°		- - - -		1.74	1.58		Bla+00
L	100°	+17°	—	—	282°	-12°	0.2106006	1.3	1.0 ³¹			Tor+03
258 Tyche												
AM	72°	+20°	222°	+40°	42°	-40°	252°	-20°	- - - -	1.51	1.25	Bla+00
263 Dresden												
EAM	100°	+70°	276°	+73°	—	—	0.7005792	1.5	1.7			Sli+09
L	105°	+76°	285°	+80°	—	—	0.7005779	1.3	1.1			Sli+09
Synthesis	103°	+73°	282°	+76°	—	—	0.7005789	1.4	1.4			Synthesis
270 Anahitia												
EA	—	300°	+65°	—	—	—	0.6268967	1.26	1.24			Eri00
EAM	—	285°	+53°	—	—	—	0.6269955	1.24	1.31			Tun+02
Synthesis	—	293°	+59°	—	—	—	0.6269	1.25	1.28			Synthesis
276 Adelheid												
L	—	—	9°	-4°	198°	-20°	0.2633001		shape ³¹			Mar+07
Synthesis	—	—	9°	-4°	198°	-20°	0.2633001		shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
277 Elvira												
EAM	———	———			56°	-78°	251°	-77°	1.2371719	1.5	1.9	Sli+03
L	———	———			50°	-79°	240°	-79°	1.2371733	1.3	1.2	Sli+03
EAM	———	———			73°	-74°	256°	-72°	1.2371730	1.5	1.5	Sli+09
L	———	———			50°	-80°	244°	-81°	1.2371742	1.3	1.2	Sli+09
Synthesis	———	———			64°	-77°	251°	-76°	1.2371741	1.4	1.3	Synthesis
278 Paulina												
L	123°	+45°	311°	+28°	———	———			0.270578	shape ³¹		Dur+09
Synthesis	123°	+45°	311°	+28°	———	———			0.270578	shape ³¹		Synthesis
281 Lucretia												
A		+90°		+90°		-90°		-90°	-----			Tay+76
283 Emma												
L	80°	+37°	261°	+28°	———	———			0.2873008	1.4	1.0	Mic+06
Synthesis	80°	+37°	261°	+28°	———	———			0.2873008	1.4	1.0	Synthesis
287 Nephthys												
AM	99°	+54°					279°	-54°	-----	1.306	1.207	Bla+96 ³⁴
291 Alice												
EAM	66°	+54°	247°	+55°					-----	1.30	1.20	Kry+96
L	70°	+56°	253°	+54°	———	———			0.1798338	shape ³¹		Kry+08
Synthesis	70°	+56°	253°	+54°	———	———			0.1798338	shape ³¹		Synthesis
306 Unitas												
L	———	———			79°	-35°	254°	-18°	0.3641145	shape ³¹		Dur+07
Synthesis	———	———			79°	-35°	254°	-18°	0.3641145	shape ³¹		Synthesis
311 Claudia												
EAM	24°	+31°	207°	+38°	———	———			0.3138073	1.9	0.9	Sli+03
L	24°	+48°	209°	+48°	———	———			0.3138078	1.7	1.2	Sli+03
Synthesis	24°	+40°	209°	+43°	———	———			0.3138075	1.8	1.0	Synthesis
312 Pierretta												
L	———	———			-52°		-52°		0.425320			Dur+09
321 Florentina												
EAM	———	———			96°	-63°	266°	-67°	0.11961940	1.5	1.6	Sli+03
L	———	———			91°	-60°	264°	-63°	0.11961941	1.4	1.4	Sli+03
Synthesis	———	———			94°	-62°	265°	-65°	0.11961941	1.5	1.5	Synthesis
324 Bamberga												
S	———	———			177°	-62°	———	-----	1.1	1.0		Dru+08
334 Chicago												
EAM	13°	+32°	188°	+42°	—E—	—E—			0.383246	1.68	1.06	Mic93
AM	18°	+46°	180°	+59°	0°	-59°	198°	-46°	-----	2.089	1.742	Bla+98
Synthesis	15°	+35°	184°	+50°	—E—	—E—			0.383246	1.88		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
335 Roberta												
AM	80°	+15°	258°	+25°	78°	-25°	260°	-15°	-----	2.09	1.14	Bla+00
337 Devosa												
EAM	—E—	—E—	—	—	199°	-51°	0.1938078	1.24	1.34	Mic92		
EAM	—	199°	+59°	—E—	—E—	—	0.1931106	1.20	1.79	Mic93		
EA	—E—	—E—	—	—	193°	-73°	0.1938078	1.30	1.30	DeA95		
L	—	209°	+43°	—	—	—	0.1939031	1.2	1.5 ³¹	Tor+03		
Synthesis	—	204°	+51°	—	—	195°	-62°	0.1938078	1.25	1.56	Synthesis	
338 Budrosa												
A	152°	+24°	321°	+33°	141°	-33°	332°	-24°	-----	1.5		GiH+95
EAM	172°	+16°	—	—	—	—	0.1916437	1.54	1.20	Tun+02		
Synthesis	162°	+20°	—	—	—	—	0.1916437	1.54	1.20	Synthesis		
349 Dembowska												
E	150°	+25°	330°	+5°	—E—	—E—	0.1958834	<1.3		Mag86		
AM	163°	+49°	330°	+29°	150°	-29°	343°	-49°	-----	1.28	1.15	Za+86b
E	—	—	—E—	—E—	—	—	0.195895			Lu+87a		
EAM	153°	+35°	—	—E—	—E—	—	0.19588337	1.30	1.12	Dr+88b		
EAM	157°	+30°	331°	+15°	—E—	—E—	0.19588335	1.29	1.11	Mag90a		
AMF	148°	+35°	180°	+28°	0°	-28°	328°	-35°	-----			Lum+90
EAM	153°	+36°	—	—E—	—E—	—	0.19588333	1.30	1.13	Dru+91		
EA	152°	+40°	—	—E—	—E—	—	0.1958841	1.35	1.10	DeA95		
L	150°	+23°	329°	0°	—	—	0.195884	1.3	1.4 ³¹	Tor+03		
Synthesis	153°	+34°	330°	+12°	—	—	0.1958836	1.31	1.12	Synthesis		
350 Ornamenta												
L	—	—	—	—	184°	-29°	0.3825172	shape ³¹		Mar+09a		
Synthesis	—	—	—	—	184°	-29°	0.3825172	shape ³¹		Synthesis		
352 Gisela												
AM	213°	+53°	33°	-53°	—	—	—	1.47	1.38	Bla+00		
354 Eleonora												
EA	360°	+35°	—E—	—	—	—	—			Lup+81		
A	132°	+45°	357°	+38°	177°	-38°	312°	-45°	-----	1.36	1.0 ¹	Zap+84
A	137°	+44°	363°	+28°	183°	-28°	317°	-44°	-----	1.35	1.0 ¹	Bur+85
A	—	355°	+36°	175°	-36°	—	—	—		Pii+85		
EA	159°	+22°	339°	+2°	—E—	—E—	0.1782160	1.23	1.0	Mag86		
EAM	170°	+39°	366°	+2°	—E—	—E—	0.17821593	1.17	1.24	Dr+88b		
EAM	148°	+35°	350°	+21°	—E—	—E—	0.1782161	1.21	1.11	Mag90a		
EAM	—	364°	+9°	—E—	—E—	—	0.17821596	1.17	1.20	Dru+91		
EA	—	365°	+22°	—E—	—E—	—	0.1782158	1.26	1.00	DeA95		
L ³²	—	356°	+20°	—	—	—	0.17821583	1.2	1.1 ³¹	Ka+02a		
Synthesis	—	360°	+18°	—	—	—	0.1782159	1.21	1.1	Synthesis		

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
355 Gabriella									0.201208			Dur+09
L	+69°		+69°		—	—	—	—				
356 Liguria	R	Concentric ring region ⁶								—	—	Ost87
360 Carlova												
EA	108°	+51°	337°	+47°	157°	-47°	288°	-51°	—	1.57	1.00	Dot+95
EAM ³²	105°	+47°	—	—	E	—	E	—	0.2578997	1.42	1.52	Mic+00
L	129°	+65°	350°	+55°	—	—	—	—	0.2578998	shape ³¹		Dur+09
Synthesis	115°	+55°	345°	+52°	—	—	—	—	0.2578998	1.45	1.25	Synthesis
367 Amicitia												
L	30°	+52°	217°	+59°	—	—	—	—	0.2106255	shape ³¹		Kry+08
Synthesis	30°	+52°	217°	+55°	—	—	—	—	0.2106255	shape ³¹		Synthesis
372 Palma												
AM	44°	+78°	241°	+7°	61°	-7°	224°	-78°	—	1.202	1.066	Bla+98
L	—	—	—	—	68°	+2°	—	—	0.35796	1.1	1.3 ³¹	Tor+03
Synthesis	—	—	—	—	65°	-3°	—	—	0.35796	1.1	1.2	Synthesis
376 Geometria												
EAM	50°	+36°	230°	+38°	—	—	—	—	—	1.35	1.70	Kry+96
L	—	—	—	—	57°	-22°	240°	-35°	0.3219775	1.0	1.0 ³¹	Mic+05
L	68°	+2°	—	—	—	—	—	—	0.321251	shape ³¹		Tor+08
377 Campania												
AM	86°	+3°	266°	0°	86°	0°	266°	-3°	—	1.318	0.898	Bla+96 ³⁴
L	47°	+67°	196°	+66°	—	—	—	—	0.4860167	shape ³¹		Mar+08
Synthesis	47°	+67°	196°	+66°	—	—	—	—	0.4860167	shape ³¹		Synthesis
378 Holmia												
L	130°	+60°	286°	+76°	—	—	—	—	0.1850177	shape ³¹		Mar+08
Synthesis	130°	+60°	286°	+76°	—	—	—	—	0.1850177	shape ³¹		Synthesis
382 Dodona												
EAM ³²	88°	+68°	—	—	—	—	—	—	0.17138450	1.54	1.33	Mic+04
L	83°	+64°	248°	+55°	—	—	—	—	0.17138442	1.4	1.3 ³¹	Mic+04
Synthesis	86°	+66°	—	—	—	—	—	—	0.171384	1.5	1.3	Synthesis
386 Siegena												
AM	56°	+14°	—	—	236°	-14°	—	—	—	1.116	0.776	Bla+98
389 Industria												
EAM	—	E	—	E	—	—	—	—	—	1.26	1.38	Mic93
AM	—	—	307°	+52°	127°	-52°	—	—	—	1.393	1.245	Bla+98

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
390 Alma												
L	———	———			-64°		-64°		0.155882			Dur+09
394 Arduina												
L	———	———			-71°		-71°		0.69258			Dur+09
409 Aspasia												
AM	73°	+48°	216°	+35°	36°	-35°	253°	-48°	-----	1.137	1.080	Bla+98
S	73°	+43°	———	———	———	———	———	———	-----	1.3	1.0	Dru+09
411 Xanthe												
AM	58°	+40°					240°	-55°	-----	1.13	1.77	She+09
416 Vaticana												
EAM ³²	132°	+58°	310°	+22°	—E—	—E—			0.2238486	1.50 ²	1.19 ²	Mic+00
L	———	291°	+12°	———	———	———	———	———	0.2238165	shape ³¹		Dur+09
Synthesis	———	300°	+17°	———	———	———	———	———	0.2238165	1.5	1.2	Synthesis
419 Aurelia												
AM		192°	+34°		13°	-34°			-----	1.28	1.16	Bla+00
423 Diotima												
AM	170°	+63°	345°	+31°	165°	-31°	350°	-63°	-----	1.14	1.50	Za+86b
EA	140°	+55°	———	———	—E—	—E—			0.1989448	1.16	1.05	Dot+95
SL	———	353°	+2°	———	———	———	———	———	0.1989740	1.08		Ma+06
L	———	351°	+4°	———	———	———	———	———	0.1989740	shape ³¹		Dur+07
Synthesis	———	352°	+3°	———	———	———	———	———	0.1989740	shape ³¹		Synthesis
432 Pythia												
AM	121°	+65°					301°	-65°	-----	1.37	1.27	Bla+00

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
433 Eros													
V	29°	+22°			—V—				-----			Zes32	
A	4°	+45°			184°	-45°			-----			Ros32	
AM	2°	+53°			182°	-53°			-----		1.79	1.18	Kru+36
V A			—V—		169°	-62°			-----			Wat37	
VEA			moving ³		—E—				0.2195937			Sto40	
EA	-7°	+13°			—E—				0.21959390			Bey53	
EA	10°	+46°			—E—				0.21959386	4.0	1.0 ¹	Cai56	
E	13°	+28°			—E—				-----			Ves71	
A	17°	+10°							0.21959			Sc+76b	
A	15°	+9°							-----	2.3		Mi+76	
E	16°	+12°			—E—				0.219599	shape ⁸		Dun76	
A	moving ³								-----	4.0	1.25	Che+77	
AM	15°	+20°							-----	2.33	1.00	Lum+81	
S	23°	+37°			—S—				-----	2.79	1.03	Dr+85a	
E	22°	+9°			—E—				0.219588			Tay85	
E	16°	+6°			—E—				-----			Kos86	
A			check ⁵						-----			Mi+90b	
E									0.219593957			Mag90b	
C	19°	+14°	—	—	—	—	—	—	-----	shape ¹⁰		Th+00	
L	16°	+9°	—	—	—	—	—	—	0.21959387	shape ³¹		Ka+01	
C ^{32,33}	17°	+11°	—	—	—	—	—	—	0.21959273	shape ¹⁰		Mill+02	
Synthesis	17°	+11°	—	—	—	—	—	—	0.219593	shape ¹⁰		Synthesis	
451 Patientia													
AM	153°	+67°	345°	+25°	165°	-25°	333°	-67°	-----	1.07	1.0	Za+86b	
L	39°	+21°	163°	+25°	—	—	—	—	0.4058829	1.0	1.0 ³¹	Mic+05	
Synthesis	39°	+21°	163°	+25°	—	—	—	—	0.4058829	1.0	1.0	Synthesis	
462 Eriphyla													
EAM	—	101°	+48°	—	289°	+48°	0.3607880		1.2	1.1		Sli+09	
L	—	108°	+35°	—	294°	+34°	0.3607875		1.2	1.3		Sli+09	
Synthesis	—	106°	+39°	—	293°	+39°	0.3607875		1.2	1.2		Synthesis	
471 Papagena													
AM	21°	+31°			201°	-31°	-----		1.25	1.38		Bla+00	
L	29°	+41°	—	—	—	—	0.296402					Tor+08	
L	—	222°	+40°	—	—	—	0.296353					Tor+08	
L	—	235°	+56°	—	—	—	0.296463					Tor+08	
484 Pittsburghia													
L	69°	+47°	—	—	—	—	0.443740	shape ³¹				Dur+09	
Synthesis	69°	+47°	—	—	—	—	0.443740	shape ³¹				Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
487 Venetia												
EAM	—	—	—	—	268°	-24°	0.555897	1.07	2.01		Eri00	
EAM	—	—	—	—	259°	-30°	0.5554876	1.28	1.69		Tun+02	
Synthesis	—	—	—	—	264°	-27°	0.5556	1.17	1.8		Synthesis	
495 Eulalia												
Z	224°	+2°	44°	-2°	—	—	—	—	—	—	Bin87	
505 Cava												
Z	113°	+4°	—	—	293°	-10°	—	—	—	—	You+85	
EAM	138°	+40°	325°	+27°	—	—	—	—	—	1.22	1.20	Mic96a
511 Davida												
AM	122°	+10°	—	—	302°	-10°	—	—	—	—	Geh+62	
A	—	—	306°	+34°	126°	-34°	—	—	—	—	Cha+63	
E	—	—	285°	+45°	—E—	—	—	—	—	—	Ves+85	
AM	92°	+33°	303°	+34°	123°	-34°	272°	-33°	—	1.19	1.13	Za+86a
S	—S—	—	291°	+37°	—S—	—	—S—	—	—	1.30	1.4	Dru+86
AM	—	—	307°	+32°	127°	-32°	—	—	—	1.25	1.14	Dru+86
EAM	—	—	300°	+32°	—E—	—	—E—	0.21372345	1.25	1.16	Dr+88b	
EAM	99°	+26°	299°	+26°	—E—	—	—E—	0.21372348	1.22	1.13	Mag90a	
EAM	—	—	300°	+32°	—E—	—	—E—	0.21372345	1.25	1.16	Dru+91	
EAM	96°	+32°	303°	+31°	—E—	—	—E—	0.2137234	1.23	1.12	Mic93	
EA	—	—	298°	+22°	—E—	—	—E—	0.21372354	1.24	1.06	DeA95	
EA	—	—	check ⁵		—	—	—	—	—	—	Lag+95	
L	—	—	303°	+44°	—	—	—	0.2137236	1.2	1.3 ³¹	Tor+03	
SL	—	—	297°	+26°	—	—	—	0.2137234	—	—	Ma+06	
S	—	—	297°	+21°	—	—	—	—	—	1.24	1.18	Con+07
Synthesis	—	—	300°	+25°	—	—	—	0.2137235	1.24	1.13	Synthesis	
516 Amherstia												
EA	75°	+63°	256°	+55°	76°	-55°	255°	-63°	—	1.82	1.85	DeA95
EAM	76°	+30°	—	—	—	—	—	—	—	1.53	1.23	Mic96a
EAM ³²	75°	+17°	—	—	—	225°	-17°	0.3116333 ²	1.36	1.82	Mic+00	
L	80°	+53°	253°	+22°	—	—	—	0.311846	—	shape ³¹	Dur+09	
Synthesis	78°	+45°	254°	+30°	—	—	—	0.311846	—	shape ³¹	Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
532 Herculina												
S					132°	-59°	- - - - -		1.21	1.01	Dr+85b	
E					96°	-1°		0.3918711	1.0 ¹	1.0 ¹	X ¹⁹	Tay+87
EAM			284°	+34°				0.3918764	1.13	1.05		Kwi+92
EA					87°	-7°		0.3918710	1.24	1.06		DeA95
EAM	— — —		291°	+18°	— E —	— E —		0.3918720	1.21	1.13		Mic+95
A ²⁸			295°	+18°			- - - - -		1.21	1.20		Mic96b
E	91°	+21°	271°	+21°	— E —	— E —		0.3918712				Sza+99
L	— — —		289°	+10°	— — —	— — —		0.39187296	1.1	1.2 ³¹		Ka+02a
Synthesis	— — —		287°	+17°	— — —	— — —		0.391872	1.2	1.2		Synthesis
534 Nassovia												
EAM	52°	+42°	238°	+47°	— — —	— — —		0.3945380	1.4	1.5		Sli+03
L	58°	+50°	244°	+51°	— — —	— — —		0.3945400	1.3	1.4		Sli+03
EAM	67°	+40°	253°	+44°	— — —	— — —		0.3945377	1.3	1.3		Sli+09
L	57°	+54°	244°	+54°	— — —	— — —		0.3945383	1.3	1.4		Sli+09
Synthesis	60°	+47°	247°	+49°	— — —	— — —		0.3945378	1.3	1.4		Synthesis
540 Rosamunde												
L	+57°		+57°		— — —	— — —		0.389491				Dur+09
537 Pauly												
AM			290°	+40°	110°	-40°	- - - - -		1.25	1.88		Bla+00
544 Jetta												
L	— — —	— — —			-66°		-66°	0.322719				Dur+09
550 Senta												
L	— — —	— — —			-64°		-64°	0.85720				Dur+09
554 Perago												
R			Concentric ring region ⁶				- - - - -					Ost87
556 Phyllis												
L	35°	+55°	209°	+41°	— — —	— — —		0.1788592		shape ³¹		Mar+07
Synthesis	35°	+55°	209°	+41°	— — —	— — —		0.1788592		shape ³¹		Synthesis
579 Sidonia												
Z	96°	+7°			276°	-7°	- - - - -					Bin87

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
584 Semiramis												
EAM	—E—	—E—	—	—	327°	-55°	0.2112053	1.19	1.28	Dr+88b		
EAM	—E—	—E—	110°	-40°	320°	-30°	0.211206	1.17	1.1	Mag90a		
EAM	—E—	—E—	112°	-51°	—	—	0.2112062	1.36	1.34	Mic93		
EA	—E—	—E—	122°	-56°	315°	-43°	0.2112060	1.27	1.14 ²	DeA95		
EAM	—E—	—E—	—	—	334°	-51°	0.2112061	1.25	1.12	Mic96a		
L	—	—	106°	-39°	—	—	0.211205	1.3	1.2 ³¹	Tor+03		
Synthesis	—	—	113°	-47°	335°	-50°	0.2112061	1.25	1.12	Synthesis		
614 Pia												
L	165°	+32°	354°	+45°	—	—	0.190779	shape ³¹		Dur+09		
Synthesis	165°	+32°	354°	+45°	—	—	0.190779	shape ³¹		Synthesis		
624 Hektor												
E	—	324°	+10°	—E—	—E—	0.28843884	shape ⁸			Dun+69		
A		313°	+11°	133°	-11°	—	—	2.00	2.63 ¹¹	Pou81		
A		315°	+10°	135°	-10°	—	—	2.02	1.0 ¹	Pou81		
EA	144°	+10°			322°	-4°	0.2884382			Mag83		
AM	152°	+29°	314°	+15°	134°	-15°	332°	-29°	—	Zap+84		
A D	152°	+27°	315°	+16°	135°	-16°	332°	-27°	—	Pos+85		
EA	—E—	—E—	134°	-15°	330°	-30°	0.2883544	2.70	1.43	Mag86		
EAMD		314°	+17°	—E—	—E—	0.288335	2.22	1.19		Uch+87		
E	—E—	—E—	134°	-17°	336°	-32°	0.2883546			Mic88		
EA	—E—	—E—			328°	-26°	0.2883541	2.57	1.30	DeA92		
AMD	152°	+27°	315°	+16°	135°	-16°	332°	-27°	—	Det+92 ²⁵		
EAMD	145°	+3°			325°	-3°	—	1.0 ¹	1.0 ¹	X ¹⁵	Det+92 ²⁵	
EAMD	149°	+22°			329°	-22°	—		shape ¹⁴		Det+92 ²⁵	
EAMD	144°	+11°			324°	-11°	—		shape ¹⁴		Det+92 ²⁵	
E	—E—	—E—	133°	-17°	336°	-33°	0.28835459			Det+92 ²⁵		
EA	—E—	—E—			328°	-26°	0.2883541	2.57	1.30	DeA95		
AM	147°	+20°	316°	+3°	136°	-3°	327°	-20°	—	2.779	1.000	Bla+98
E	—E—	—E—	128°	-14°	308°	-14°	0.28835474			Sza+99		
Synthesis	—E—	—E—	133°	-16°	329°	-25°	0.2883544	2.4	1.3	Synthesis		
628 Christine												
L	—	—	24°	-61°	209°	-34°	0.673872	shape ³¹		Dur+09		
Synthesis	—	—	24°	-61°	209°	-34°	0.673872	shape ³¹		Synthesis		
636 Erika												
L	—	—			-52°	—	0.608648			Dur+09		
665 Sabine												
L	—	—	—	—	310°	-77°	0.1789179	1.3	1.2	Mic+06		
Synthesis	—	—	—	—	310°	-77°	0.1789179	1.3	1.2	Synthesis		
674 Rachele												
EAM	12°	+2°					1.2898610	1.93	1.09	Tun+02		

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)							Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0					
675 Ludmilla												
EAM	—E—	—E—	12°	-45°				0.3215510	1.44	1.89	Vel+95	
EAM	—E—	—E—	15°	-35°	205°	-50°		0.321551	1.37	1.3	Vel+95	
L	————	————	20°	-36°	215°	-54°		0.3215506	1.3	1.1 ³¹	Tor+03	
Synthesis	————	————	16°	-39°	210°	-52°		0.321551	1.3	1.2	Synthesis	
679 Pax												
AM		245°	+5°	65°	-5°			- - - -	1.18	1.30	She+09	
L	————	220°	+32°	42°	-5°	————		0.3523340	shape ³¹		Mar+11	
SL	————	220°	+32°	————	————	————		0.3523340	shape ³¹		Mar+11	
Synthesis	————	220°	+32°	————	————	————		0.3523340	shape ³¹		Synthesis	
683 Lanzia												
EA	198°	+55°	342°	+55°	18°	-55°	165°	-55°	- - - -	1.85	1.00	DeA95
EA	—E—	—E—			15°	-52°	195°	-52°	0.1964156	1.15	1.05	Kis+99
Synthesis	—E—	—E—	16°	-53°	190°	-53°	0.1964156					Synthesis
690 Wratislavia												
L	177°	+17°	359°	+45°	————	————	0.3590825	1.1	1.3		Mic+06	
694 Ekard												
R	Concentric ring region ⁶							- - - -			Ost87	
EAM	96°	+32°	————	—E—	—E—	—E—	0.246744	1.42	1.38		Dr+88b	
EAM	105°	+29°	267°	+56°	—E—	—E—	0.2467465 ²	1.45	1.32 ²		Dru+91	
EAM	98°	+40°	————	—E—	—E—	—E—	0.2467460	1.46	1.73		Mic93	
EA	86°	+25°	242°	+25°	—E—	—E—	0.2467459	1.34	1.22 ²		DeA95	
L	————	————	89°	-48°	————	————	0.2467501	1.2	1.1 ³¹		Tor+03	
Synthesis	98°	+40°	————	89°	-48°	————	0.2467501	1.3			Synthesis	
700 Auravictrix												
AM		265°	+56°	86°	-58°			- - - -	1.43	1.92	She+09	
704 Interamnia												
Z	70°	+10°			250°	-10°	- - - -				Har+79	
EAM	—E—	—E—	43°	-21°	224°	-22°	- - - -	1.19 ²	1.07		Mic93	
EA			47°	-3°	227°	+1°	- - - -	1.11	1.06		DeA95	
EAM	51°	+22°	————	—E—	—E—	—E—	0.3636372	1.11	1.13		Mic+95	
S	36°	+12°	————	————	————	————	- - - -	1.14	2.1		Dru+08	
S	47°	+66°	————	————	————	————	- - - -	1.03	1.24		Dru+09	
Synthesis	46°	+30°	————	————	————	————	0.3636372	1.1			Synthesis	
714 Ulula												
L	————	————	40°	-4°	225°	-13°	0.291599	shape ³¹			Dur+09	
L	————	————	42°	-9°	227°	-14°	0.2915990	shape ³¹			Mar+11	
Synthesis	————	————	41°	-7°	226°	-14°	0.2915990	shape ³¹			Synthesis	
720 Bohlinia												
EAM ³²	65°	+40°	249°	+37°	————	————	0.3716084	1.4	1.2		Sli+03	
L ³²	40°	+43°	230°	+41°	————	————	0.3716090	1.4	1.3		Sli+03	
Synthesis	48°	+41°	236°	+38°	————	————	0.3716088	1.4	1.3		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
747 Winchester													
EAM	27°	+50°	—	—	—E—	—E—	—	—	- - - -	1.16	2.60	Mic93	
EA			353°	+39°	173°	-39°	—	—	- - - -	1.18	1.00	DeA95	
L	—	—	—	—	166°	-44°	296°	-61°	0.3922836	shape ³¹		Mar+09	
Synthesis	—	—	—	—	165°	-43°	296°	-61°	0.3922836	1.17		Synthesis	
770 Bali													
L	68°	+44°	256°	+40°	—	—	—	—	0.242456	shape ³¹		Dur+09	
Synthesis	68°	+44°	256°	+40°	—	—	—	—	0.242456	shape ³¹		Synthesis	
771 Libera													
L	—	—	—	—	64°	-78°	—	—	0.2455925	shape ³¹		Mar+09a	
Synthesis	—	—	—	—	64°	-78°	—	—	0.2455925	shape ³¹		Synthesis	
776 Berbericia													
EAM	7°	+20°	—	—	—	—	—	—	0.3194588	1.09	1.30	Eri00	
EAM	8°	+23°	—	—	—	—	—	—	0.3194538	1.18	1.18	Tun+02	
L	—	347°	+12°	—	—	—	—	—	0.3194587	shape ³¹		Dur+07	
L	170°	+59°	347°	+11°	—	—	—	—	0.319449	shape ³¹		Tor+08	
Synthesis	—	347°	+12°	—	—	—	—	—	0.3194587	1.14	1.2	Synthesis	
787 Moskva													
AM	80°	+36°	—	—	260°	-36°	—	—	2.26	1.44		She+09	
804 Hispania													
EAM	90°	+28°	—	—	270°	-28°	—	—	1.17	1.92		Mic92	
EA	107°	+49°	227°	+50°	47°	-50°	287°	-49°	—	1.20	2.00		DeA95
825 Tanina													
L	38°	+51°	232°	+53°	—	—	—	—	0.2891587	shape ³¹		Kry+08	
L	—	+54°	—	+54°	—	—	—	—	0.289159			Dur+09	
Synthesis	38°	+51°	232°	+53°	—	—	—	—	0.2891587	shape ³¹		Synthesis	
849 Ara													
L	—	—	—	—	17°	-10°	213°	-33°	0.1715163	shape ³¹		Dur+09	
L	—	—	—	—	10°	-25°	223°	-40°	0.1715163	shape ³¹		Mar+09	
Synthesis	—	—	—	—	12°	-23°	220°	-38°	0.1715163	shape ³¹		Synthesis	
852 Wladilena													
A	53°	+24°	235°	+21°	55°	-21°	233°	-24°	—	1.23	1.15		DeA+95
A	30°	+30°	210°	+30°	30°	-30°	210°	-30°	—	2.3	1.2		Kis+99
887 Alinda													
EAM		190°	+33°	—	—	—	—	—	3.0760710	1.06	1.56		Tun+02
915 Cosette													
L	185°	+50°	348°	+55°	—	—	—	—	0.1862392	shape ³¹		Dur+09	
Synthesis	185°	+50°	348°	+55°	—	—	—	—	0.1862392	shape ³¹		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
944 Hidalgo									0.4191097	shape ³¹		Dur+07
L	_____	281°	+5°	_____	_____	_____	_____	_____	0.4191097	shape ³¹		Synthesis
951 Gaspra												
EAM	20°	+22°	198°	+13°	—E—	—E—	—E—	—E—	0.2934197	1.6 1.1		Mag+92
C	15°	+16°	—C—	—C—	—C—	—C—	—C—	—C—	- - - -			Dav+92
EA	19°	+20°	_____	—E—	—E—	—E—	—E—	—E—	0.2934194	1.59 1.10		DeA92
AMF	15°	+24°	_____	_____	_____	_____	_____	_____	- - - -	shape ^{13, 12, 17}		Bar+92
C	19°	+21°	—C—	—C—	—C—	—C—	—C—	—C—	- - - -			Da+94a
C	19°	+21°	—C—	—C—	—C—	—C—	—C—	—C—	- - - -	shape ²⁶		Tho+94
E C	_____	_____	_____	_____	_____	_____	_____	_____	0.2934177			Sim+95
EA	19°	+20°	_____	—E—	—E—	—E—	—E—	—E—	0.2934194	1.75 1.00		DeA95
L ³²	20°	+19°	_____	_____	_____	_____	_____	_____	0.2934191	shape ³¹		Ka+01
EAM	20°	+26°	_____	_____	_____	_____	_____	_____	0.2934170	1.58 1.23		Tun+02
Synthesis	19°	+21°	_____	_____	_____	_____	_____	_____	0.293419	shape ²⁶		Synthesis
966 Muschi												
L	_____	_____	_____	—57°	_____	—57°	_____	0.223138				Dur+09
984 Gretia												
AM	46°	+47°	48°	+12°	228°	-12°	226°	-47°	- - - -	2.25 1.00		Bla+00
L	_____	245°	+52°	_____	_____	_____	_____	_____	0.2407510	shape ³¹		Mar+09a
Synthesis	_____	245°	+52°	_____	_____	_____	_____	_____	0.2407510	shape ³¹		Synthesis
1012 Sarema												
L	51°	+64°	254°	+53°	_____	_____	_____	_____	0.429462	shape ³¹		Dur+09
Synthesis	51°	+64°	254°	+53°	_____	_____	_____	_____	0.429462	shape ³¹		Synthesis
1036 Ganymed												
E	Prograde rotation								0.42951			Lu+87b
E	Retrograde rotation											Hah+89
L	_____	_____	_____	_____	208°	-76°	0.42967	1.0 1.5 ³¹				Ka+02a
Synthesis	_____	_____	_____	_____	208°	-76°	0.42967	1.0 1.5				Synthesis
1088 Mitaka												
L	_____	_____	115°	-46°	278°	-72°	0.1264740	shape ³¹				Dur+09
Synthesis	_____	_____	115°	-46°	278°	-72°	0.1264740	shape ³¹				Synthesis
1089 Tama												
L	_____	_____	_____	-21°	_____	-21°	0.68606					Dur+09
1188 Gothlandia												
L	_____	_____	_____	-52°	_____	-52°	0.1454925					Dur+09
1207 Ostenia												
L	_____	_____	_____	-57°	_____	-57°	0.377970					Dur+09
1219 Britta												
E	Retrograde rotation								0.232290			Bin+87

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
1223 Neckar												
EAM ³²	70°	+45°	225°	+42°	—E—	—E—			0.3232105	1.47	1.28	Mic+00
EAM	73°	+45°	258°	+42°	—	—			0.3258850	1.6	1.3	Sli+03
L	73°	+44°	259°	+41°	—	—			0.3258850	1.5	1.4	Sli+03
Synthesis	72°	+45°	247°	+42°	—	—			0.3258850	1.5	1.3	Synthesis
1270 Datura												
L		+59°		+59°	—	—			0.1399208	shape ³¹		Dur+09
L	60°	+76°	264°	+77°	—	—			0.1399208	shape ³¹		Vok+10
Synthesis	60°	+76°	264°	+77°	—	—			0.1399208	shape ³¹		Synthesis
1289 Kutaissi												
EAM	—	—	172°	-74°	342°	-76°	0.15100724	1.3	1.0		Sli+09	
L	—	—	158°	-79°	338°	-74°	0.15100725	1.2	1.1		Sli+09	
Synthesis	—	—	164°	-76°	340°	-75°	0.15100724	1.2	1.1		Synthesis	
1514 Ricouxa												
L	+71°		+71°	—	—		0.434361				Dur+09	
1566 Icarus												
E	49°	0°	229°	0°			0.09471				Geh+70	
EA		214°	+5°				0.094735	1.23	1.40		DeA95	
Synthesis		214°	+5°				0.094735	1.23	1.40		Synthesis	
1572 Posnania												
EAM ³²	—	—	46°	-65°	—	—	0.3353931	1.35	1.04		Mic+01	
Synthesis	—	—	46°	-65°	—	—	0.3353931	1.35	1.04		Synthesis	
1580 Betulia												
A		140°	+20°		320°	-20°	—	—	1.21 ¹⁰		Ted+78	
EAM	80°	+12°		212°	-5°		0.2565	1.7	1.4		Dru+90	
L	136°	+22°	—	—	—	—	0.255765	1.1	1.4 ³¹		Ka+04	
R	136°	+22°	—	—	—	—	0.255765		shape ³⁰		Mag+07	
Synthesis	136°	+22°	—	—	—	—	0.255765	1.1	1.4		Synthesis	
1620 Geographos												
E	—E—		20°	-60°			0.2176378	shape ⁸			Dun74	
A		check ⁵			—	—					Mi+90b	
EAM	—E—		15°	-77°			0.2176342	2.7	1.05		Kwi94	
EAM	—E—		15°	-77°			0.2176390	2.7	1.05		Kwi94	
EAM	—E—		54°	-52°			0.21763867	2.6	1.1		Mic+94	
EA	—E—		54°	-52°			0.21763866	2.5	1.1		Kwi95	
EA	—E—		54°	-52°			0.21764381	2.5	1.1		Kwi95	
EAM	—E—	—E—	56°	-47°	—	—	0.21763860	2.58	1.00		Mag+96	
R	—	—	55°	-46°	—	—	0.21763863	2.5	1.0 ²⁹		H+O99	
L	—	—	55°	-45°	—	—	0.21763858		shape ³¹		Ka+01	
Synthesis	—	—	55°	-46°	—	—	0.21764	2.6	1.1		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)							Sidereal period (days)	Ellipsoidal model a/b	Albedo varieg. b/c	Refer- ence code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
1627 Ivar												
E	Prograde rotation							0.19991			Lup+86	
E	147°	+13°	333°	+18°				0.199953			Ve+89a ²³	
EA	110°	+20°	320°	+40°				0.19995			Hah+89	
E	—E—	—E—	143°	-37°				0.1999154			Kis+99	
A	145°	+34°	325°	+34°	145°	-34°	325°	-34°	-----	2.0	1.09	Kis+99
L	—	333°	+43°	—	—	—	—	0.1997987	1.9	1.3 ³¹	Ka+04	
Synthesis	—	333°	+43°	—	—	—	—	0.1997987	1.9	1.3	Synthesis	
1685 Toro												
EA	200°	+55°	—E—	—				0.42481	3.2		Dun+73	
EA	220°	+30°	—E—	—				0.424808	2.08	1.80	DeA95	
Synthesis	210°	+43°	—E—	—				0.424808	2.1	1.8	Synthesis	
1862 Apollo												
EA	—E—	56°	-26°					0.1277265			Har+87	
EA	—E—	38°	-36°					0.127754	2.08	1.80	DeA95	
Synthesis	—E—	47°	-31°					0.127754	2.08	1.80	Synthesis	
1980 Tezcatlipoca												
L	—	—	—	—	334°	-66°	0.302177	1.4	1.4 ³¹		Ka+04	
Synthesis	—	—	—	—	334°	-66°	0.302177	1.4	1.4		Synthesis	
2063 Bacchus												
R	24° -26°							0.652	shape ³⁰		Ben+99	
Synthesis	24° -26°							0.652	shape ³⁰		Synthesis	
2100 Ra-Shalom												
L	73°	+13°	—	—	—	—	0.824992	1.2	1.3 ³¹		Ka+04	
Synthesis	73°	+13°	—	—	—	—	0.824992	1.2	1.3		Synthesis	
2867 Steins												
L	—	—	—	250°	-89°	0.2519504	1.16	1.08 ³¹			Lam+08	
Synthesis	—	—	—	250°	-89°	0.2519504	1.16	1.08			Synthesis	
3103 Eger												
E	Prograde rotation							0.2377819			Vel+92	
L	—	—	10°	-50°	—	—	0.23778217	1.5	1 ³¹		Ka+02a	
Synthesis	—	—	10°	-50°	—	—	0.23778217	1.5	1		Synthesis	
3199 Nefertiti												
L	—	—	—	197°	-22°	0.12584029	1.1	1.1 ³¹			Ka+04	
Synthesis	—	—	—	197°	-22°	0.12584029	1.1	1.1			Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
3200 Phaeton												
EAM	—E—	—E—	97°	-11°	276°	-15°	0.1496080 ²					Kru+02
Synthesis	—E—	—E—	97°	-11°	276°	-15°	0.1496080					Synthesis
3908 Nyx												
EAM	177°	+23°	312°	+61°	—E—	—E—	0.18441	1.3	1.2 ²			Dru+90
R	43°	+71°	—	—	—	—			shape ³⁰			Ben+02
L	—	—	291°	+69°	—	—	0.1844208	1.2	1.0 ³¹			Ka+04
Synthesis	43°	+71°	291°	+69°	—	—	0.1844208	1.2	1.0			Synthesis
4179 Toutatis												
R	Precessing								— - - -	2.10	1.35 ²⁹	H+O95
4486 Mithra												
R	—	337°	+19°	154°	-19°	—	—	2.81	1.44	1.15		Bro+10
4660 Nereus												
R	25°	+80°	—	—	—	—	0.631	1.55	1.37			Bro+09
Synthesis	25°	+80°	—	—	—	—	0.631	1.55	1.37			Synthesis
4769 Castalia												
R					253°	-56°	0.17038					Hud+97
R			62°	-7°			0.17058					Hud+97
EAM					253°	-56°	0.17038					Eri+00
EAM		242°	+7°				0.17058					Eri+00
Synthesis	—	—	—	—	235°	-56°	0.17058					Synthesis
4957 Brucemurray												
L	—	—	—	—	358°	-50°	0.120510	1.1	1.1 ³¹			Ka+04
Synthesis	—	—	—	—	358°	-50°	0.120510	1.1	1.1			Synthesis
4979 Otawara												
EAM	—	—	50°	-30°	—	—	0.112776	1.21				For+03
Synthesis	—	—	50°	-30°	—	—	0.112776	1.2				Synthesis
5145 Pholus												
EAM	149°	+26°			337°	-5°	0.4159256	1.8	1.0			Far+01
5587 1990 SB												
L	—	—	—	—	253°	-60°	0.210508	2.0	1.2 ³¹			Ka+04
Synthesis	—	—	—	—	253°	-60°	0.210508	2.0	1.2			Synthesis
6053 1993 BW3												
E	—E—	—E—	175°	-9°	359°	-26°	0.107238 ²	1.08	1.5			Pra+97
L	178°	+10°	—	—	358°	-8°	0.107246	1.1	1.6 ³¹			Ka+02a
L	—	—	180°	-6°	345°	-14°	0.107238 ²		shape ³¹			Dur02
Synthesis	—	—	178°	-7°	354°	-16°	0.10723	1	1.5			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Refer- ence code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
6489 Golevka												
EA ³²			345°	+45°					0.25109	1.25		Mot+97
EA ³²			350°	+25°					0.25111	1.6 0.7	X ³⁵	Mot+97
EA ³²					190°	-55°	0.25123	1.25				Mot+97
EA ³²					200°	-55°	0.25125	1.6 1.2	X ³⁵			Mot+97
R	—	—	—	—	202°	-45°	0.251204	1.01 1.0 ^{29,30}				Hud+00
L	—	—	—	—	208°	-47°	0.251238	shape ³¹				Ka+01
Synthesis	—	—	—	—	205°	-46°	0.25122	1.0 1.0				Synthesis
9969 Braille												
C	—	—	314°	+65°	—	—	—	—	2.1	1.0		Ob+01
10115 1992 SK												
RL	—	—	99°	-3°	—	—	0.30493	shape ³⁰				Bus+06
Synthesis	—	—	99°	-3°	—	—	0.30493	shape ³⁰				Synthesis
25143 Itokawa												
L	—	—	—	—	355°	-84°	0.50550	2.0 1.3 ³¹				Ka+03
EA	—	—	39°	-87°	—	—	0.50550	1.9 1.2				Ka+03
EA	—	—	—	—	320°	-75°	—	2.13 1.68				Oh+03
C	—	—	128°	-89°	—	—	—	1.82 1.41 ³⁷				De+06
Synthesis	—	—	—	—	-88°	355°	-84°	0.50550	1.9 1.3 ³⁸			Synthesis
29075 1950 DA												
R	89°	+78°	—	—	187°	-89°	—	shape ³⁰				Bus+07
33342 1998 WT24												
T	175°	+52°			355°	-52°	—	—	—	39		Har+07
R	—	—	15°	-22°	—	—	0.1540416	1.09 1.10 ²⁹				Bus+08
Synthesis	—	—	15°	-22°	—	—	0.1540416	1.09 1.10				Synthesis
2008 EV5												
X			Retrograde rotation				—	—				Bus+10
R	0°	+84°	—	—	180°	-84°	—	—	1.02	1.05		Bus+11
Synthesis	—	—	—	—	180°	-84°	—	—	1.02	1.05		Synthesis

Footnotes:

- ¹ Assumed value.
- ² Mean value of two significantly different solutions.
- ³ Different spin axis solutions for different apparitions was interpreted as indicating a precessing motion.
- ⁴ Symmetric solution obtained, but quantitative specification is missing.
- ⁵ Consistency check of previous spin vector determinations.
- ⁶ Based on a radar experiment giving constraints on the aspect angle at the time of observation.
- ⁷ Based on two radar experiments giving an aspect circle at the time of observation.
- ⁸ Modelled as a cylinder with hemispherical ends.
- ⁹ Modelled as a cylinder cut out of a sphere.
- ¹⁰ Complex shape.

- ¹¹ Modelled as a Jocobi ellipsoid.
- ¹² Modelled as 8 octants of ellipsoids put together to form a continuous surface.
- ¹³ Modelled as an ellipsoid with a piece removed by a plane cut.
- ¹⁴ Modelled as an irregular polyhedron.
- ¹⁵ Modelled as a sphere with free albedo facets.
- ¹⁶ Results show that there is no significant albedo variegation.
- ¹⁷ Modelled using a spherical harmonics expansion of the shape.
- ¹⁸ Albedo model with a single big spot.
- ¹⁹ Modelled as a sphere with 2 dark regions.
- ²⁰ Speckle images showing albedo variegation.
- ²¹ Bi-axial ellipsoid ($a/b=1.15$) with a flat region just off the South Pole.
- ²² Also presented in Ful+91.
- ²³ Also presented in English in Lup+90.
- ²⁴ Also presented in Mi+90c.
- ²⁵ Also presented in Det+94.
- ²⁶ Detailed model from space images.
- ²⁷ Also presented in Mic94.
- ²⁸ The spin axis is not aligned with the c-axis of the ellipsoid model.
- ²⁹ DEEVE - dynamically equivalent equal volume ellipsoid adopted for the complex shape.
- ³⁰ Complex radar model.
- ³¹ Convex shape obtained with lightcurve inversion.
- ³² Pole coordinates calculated for J2000.
- ³³ Values for pole coordinates in the paper are 17.238, 11.351
- ³⁴ Also presented in Bla+98.
- ³⁵ Model requires albedo variegation
- ³⁶ Suggested albedo variegations of 4%
- ³⁷ Values for pole coordinates in the paper are 128.5, -89.66
- ³⁸ Because of latitude close to 90 deg, longitude is ambiguous
- ³⁹ Crude approximation of the spin axis orientation